

GMC MEDIC CATALOGUE MEDICAL



CONTENTS

1. Disposable appliance	02
2. Medical dressing	13
3. Hospital supply	21
4. Healthcare supply	33
5. Hospital furniture	39
6. Laser	58
7. Ultrasound scanner	66
8. Stethoscope	67
9. Sphygmomanometer	73
10. Treatment tables	81

1. Disposable appliance

Disposable Hypodermic Syringe - 3 pieces standard syringe

ID: A1001




100% latex free
Non toxic and pyrogen free
Sterile by E.O Gas or Gamma Radiation
Smooth plunger motion
Medical Grade Polypropylene Construction
Available in all size with or without needle
Production to ISO7886-93

Item ID	Description	Pcs/Ctn
1001	2-3ml luer mount w/n	2400
1002	2-3ml luer lock w/n	2400
1003	2-3ml luer mount w/o needle	2400
1004	2-3ml luer lock w/o needle	2400
1005	5-6ml luer mount w/n	1600
1006	5-6ml luer lock w/n	1600
1007	5-6ml luer mount w/o needle	1600
1008	5-6ml luer lock w/o needle	1600
1009	10-12ml luer mount w/n	1200
1010	10-12ml luer lock w/n	1200
1011	10-12ml luer mount w/o needle	1200
1012	10-12ml luer lock w/o needle	1200
1013	20ml luer mount w/n	600
1014	20ml luer mount w/o needle	600
1015	20ml eccentric tip	600
1016	30ml luer mount w/n	400
1017	30ml luer lock w/n	400
1018	30ml luer mount w/o needle	400
1019	50-60ml luer mount w/n	400
1021	50-60ml luer lock w/n	400

Disposable Hypodermic Syringe - 2 pieces standard syringe

ID: A1002



By Medical-grade material PP+PE
 In Superior quality by high accurate moulding
 Sterile by E.O Gas, in Blister Pack/PE bag pack
 With all sizes in 0.2-1ml graduation. with or without needle
 Production to ISO7886-93

Item ID	Description	Pcs/Ctn
1031	2ml w/n, centric	2400
1033	2ml w/o needle, centric	2400
1035	5ml w/n, centric	1200
1037	5ml w/o needle, centric	1200
1039	10ml w/n, centric	800
1041	10ml w/o needle, centric	800

Disposable Syringe Insulin/Tuberculin

ID: A1003




High Precision, for U 40-U100 graduation
 In Medical grade PP +PE
 Sterile by E.T.O, In Ribbon Packing/PE bag pack
 Production to ISO7886

Item ID	Description	Pcs/Ctn
1057	1ml (3pc) 40/100iu	3000
1058	1ml (3pc) 40/100iu w/o dead space	3000

1CC Insulin/TB Syringe
 without dead space

ID: A1004



1CC Insulin/TB Syringe without dead space
 2-PC without rubber gasket High Precise
 dose, dead-space free
 100% Inspection, for ensuring always in top
 quality Extra thin and lubricant needle
 27G/28G/29G,ULTRA/ Micro fine For more
 comfortable and accurate injection Pcs/Ctn:
 3000.

Item ID	Description	Needle	TIP
1061	1ML	26GX5/8"	100 i.u

Irrigation Syringe

ID: A1005



Standard Catheter for meeting with all types of tube Medical Grade Polypropylene Construction with standard 6% connector.
Clean molded graduation for easy identification.
Production to ISO7886-93

Item ID	Description	Pcs/Ctn
1100.1	X50-60ml w/connector standard plunger	-
1100.2	X50-60ml w/connector control ring plunger	-
1100.3	X50-60ml w/connector rubber bulb plunger	-

Disposable Hypodermic Needles/Sterile

ID: A1006



For single use only
Extra Thin Wall, Totally siliconized for easy insertion
In Blister Sterile Pack. Non-toxic, Pyrogen Free
Colorful coded for easy identification.
Production according to ISO7864(1993)
Standard Adapter 6/100 to ISO:594
Pcs/Ctn: 10000

Item ID	Gauge	Clear color code	Length in Inch and MM		TIP
1111	27G	GREY	1/2"	12mm	0.40mm
1112	26G	BROWN	5/8"	16mm	0.45mm
1113	25G	ORANGE	5/8"	16mm	0.50mm
1114	24G	PURPLE	1"/11/2"	25mm/40mm	0.55mm
1115	23G	BLUE	1"/11/4"	25mm/30mm	0.65mm
1116	22G	BLACK	1"/11/4"/11/2"	25mm/30mm/40mm	0.70mm
1117	21G	GREEN	1"/11/4"/11/2"	25mm/30mm/40mm	0.80mm
1118	20G	YELLOW	1"/11/2"	25mm/40mm	0.90mm
1119	19G	CREAM	1"/11/2"	25mm/40mm	1.00mm
1120	18G	PINK	1 1/2"	40mm	1.20mm

Disposable scalp vein set/luer lock

ID: A1007



Thin wall needle cannula, 100% silicon treatment
Colorful coded butterfly wing, for east identification

Medical Grade flexible PVC tube

Standard 6% Luer Adaptor for any injection

Production according to ISO8536-98

Pcs/Ctn: 2000

Item ID	Gauge	Color code	Needle size		Tube length (Inch)	Adaptor
			Diameter(MM)	Length(MM)		
2061	27G	GREY	0.40mm	15/16/19mm	12"	Luer hub/Luer lock
2062	26G	BROWN	0.45mm	16/19mm	12"	Luer hub/Luer lock
2063	25G	ORANGE	0.50mm	19/20mm	12"	Luer hub/Luer lock
2064	24G	PURPLE	0.55mm	19/20mm	12"	Luer hub/Luer lock
2065	23G	BLUE	0.65mm	19/25/28mm	12"	Luer hub/Luer lock
2066	22G	BLACK	0.70mm	19/25/28mm	12"	Luer hub/Luer lock
2067	21G	GREEN	0.80mm	19/28/30mm	12"	Luer hub/Luer lock
2068	20G	YELLOW	0.90mm	19/28/30mm	12"	Luer hub/Luer lock
2069	19G	CREAM	1.00mm	19/30mm	12"	Luer hub/Luer lock
2070	18G	PINK	1.20mm	19/30mm	12"	Luer hub/Luer lock

Arterial Venous Fistula Needle

ID: A1008



By Medical-grade PVC, siliconized

Extra sharp needle, with or without eyelet for efficient puncturing

Colorful coded butterfly wing and Clamp

Standard 6% luer port for any application

Sterile by E.O Gas, in Blister Pack/PE bag pack

Production strict to ISO8536-98

Item ID	Description	Needle	Wing	Package
2301	12" W/EYE	17GX1"	FIXED	ONE OR TWO SETS/POUCH, 50SETS/BOX
2302	12" W/O EYE	17GX1"	FIXED	
2303	12" W/EYE	17GX1 $\frac{1}{4}$ "	FIXED	
2304	6" W/EYE	17GX1"	SPINNING	20BOXES/CTN
2305	12" W/EYE	17GX1"	SPINNING	
2306	12" W/EYE	16GX1"	FIXED	ONE OR TWO SETS/POUCH, 50SETS/BOX
2307	12" W/O EYE	16GX1"	FIXED	
2308	12" W/EYE	16GX1 $\frac{1}{4}$ "	FIXED	
2309	6" W/EYE	16GX1"	SPINNING	20BOXES/CTN
2310	12" W/EYE	16GX1"	SPINNING	
2311	12" W/EYE	15GX1"	FIXED	ONE OR TWO SETS/POUCH, 50SETS/BOX
2312	12" W/O EYE	15GX1"	FIXED	
2313	12" W/EYE	15GX1 $\frac{1}{4}$ "	FIXED	
2314	6" W/EYE	15GX1"	SPINNING	20BOXES/CTN
2315	12" W/EYE	15GX1"	SPINNING	
2316	12" W/EYE	14GX1"	FIXED	SAME
2317	12' W/EYE	14GX1"	SPINNING	

I. V Administration Set

ID:A1009



For Single use only Air vented or non-vented chamber Special designed filter in high efficiency Completed list of spare part for meeting with any application or habit from customer Standard 6% Luer Lock or Luer Mount injection port .flexible project of production to customer's design Production strict to ISO8536-98.

Item ID	Description	Lenght	Drops/ML
2001 series	Air-vented Chamber 3way injection port Adjuster w/stopper	1600mm	15/60drops
2002 series	Air-vented Chamber Multi Luer Adapter Latex Bubble Tube	1600mm	15/60drops
2003 series	Air-vented/non-vented chamber Adjuster with injection port	1600mm	15/60drops
2100 series	Connection Tube with stopcock	800mm	15/60drops

Blood Transfusion Set

ID: A1010



For Single use only
Air-vented or non-vented chamber, injected or molded for selection Specially designed filter for Blood transfusion only Completed list of spare part for meeting with any application Standard 6% Luer Lock or Luer Mount injection port Production strict to ISO8536-98.Pcs/Ctn: 400

Item ID	Description	Lenght	Drops/ML
2010	10DPM chamber with blood filter, length 80", regulating clampwith stopper, latex bulb injection site. (injection site)	80 Inch	10/15drops

Extension tube

ID: A1011




Medical-graded PVC tube, flexible to any application. With standard stopcock, uniform to all connection or injection site Sample Luer Adapter(optional) With stopcock for meeting with multipurpose application Pcs/Ctn: 400

Item ID	Extension	Description
2040.10	Extension Tube	2 slide clamps, 2 "Y" injection sites Length: from 25cm-150cm, individual blister pack
2040.15	Extension Tube	Male Luer Lock to Male/Female Luer Lock, Length: from 25cm-150cm, no return valve for selection, Resistant to 10kg/cm2 = 10 bars, individual blister pack
2040.20	Catheter Extension	With Side outlet and injection membrane, Luer Locking. Individual blister pack
2040.25	Multipurpose Extension Tube	With 3-way stopcock and injection membrane, Luer Locking. Individual blister pack

Burette I.V Set for Child Use

ID: A1012



100% latex free, Sterile, pyrogen free
 Extra clean burette with graduation, for easy identification
 Accurate rate control during gravity infusion
 Auto-valve for avoiding the risk of free flow
 Medical-grade PVC tube, specially designed for no bending
 Standard clip, adjuster and injection site for meeting with
 multipurpose infusion. Production strict to ISO8536-98
 Pcs/Ctn: 100

Item ID	ML	Description
2030.10	100ML	mixing chamber with injection port, 60 DPM drip chamber, length 85", 1 "Y" injection sites,
2030.20	150M	regulating clamp, with luer lock site, soft blister pack.

Feeding Set/Pumping Set

ID: A1013



100% latex free, Sterile, pyrogen free
 Extra clean burette with graduation, for easy identification
 Auto-valve for avoiding the risk of free flow. Medical-grade
 PVC tube, specially designed for no bending Standard clip,
 adjuster and injection site for meeting with multipurpose
 infusion. Production strict to ISO8536-98Pcs/Ctn: 100

Item ID	Description
2050.10	With Universal Adaptor, soft chamber, adjuster, by gravity feeding Total length: 1800mm
2050.15	Connected with 1000ml Feeding Bag

I.V Cannula/Normal Style w/Teflon Tube

ID: A1014




PTFE Cannula, keeping soft and steady character
Thin-wall needle cannula, extra sharpened for penetration
Color coded standard luer hub for easy identification
Wide range including butterfly wing, injection port or normal for choose
Available for the tri-valve and heparin cap for selection
Sterile by E.T.O, In Ribbon Packing/PE bag pack
Production to ISO8536 and BSI

Item ID	Description		Needle	Pcs/Ctn
	Diameter(MM)	Lenght(MM)		
1131	0.7	20	24G	IN RIBBON/BLISTER PACKING, 2000 pcs
1132	0.8	25	22G	
1133	1.0	45	20G	
1134	1.2	45	18G	
1135	1.6	55	16G	
1136	1.6	170	16G	
1137	2.0	55	14G	
1138	2.0	170	14G	
2333	STOPCOCK, 6% STADARD LUER HUB, COLOR TO OPTION			5000pcs/Ctn
2334	HEPARIN CAP, SILICONED RUBBER FOR INJECTION			10,000pcs/Ctn
2335	EXTENSION TUBE, WITH 6% JOINT, LENGTH: 12"			1pc/bag,100pcs/Ctn
2336	T-TYPE EXTENSION TUBE, WITH 6% JOINT, LENGTH:12"			cs/Ctn

Suction Catheter

ID: A1015




By Medical Gread Polyvinyl Choride Material.Special treated sofe catheter for using in intensive care Smoothed open/closed tip with lateral eye connector for Normal, finger-tip control or negative for optional Individual Pack, Sterile by E.O Gas OEM processing production is welcome
Pcs/Ctn: 500

Item ID	Specification	Eye treat	Length	Control valve
2110	Fr. 05 06 07 08 10 11 12 13 14	2 Lateral Eye	29cm	(Suggested)
2111	Fr.16 17 18 20 21 22 23 24	No Lateral Eye	42cm	(Suggested)

Disposable mucus extractor / Vesical catheter (Nelaton type)

ID: A1016 and A1017



Item ID	Specification	Eye	Lenght
2121	Fr.04 06	2 Lateral Eye	40cm
2122	Fr.08 10 12 14 16	2 Lateral Eye	40cm
2123	Fr.18 21 24	2 Lateral Eye	40cm

Stomach washout tube (fatucho type)

ID: A1018



Item ID	Specification	Eye	Lenght
2127	Fr.27 30 33	4 Lateral Eye	150cm
2128	Fr.36	4 Lateral Eye	150cm

Feeding tube

ID: A1019



Item ID	Specification	Pcs/Ctn
2131	Fr4,7,8	500
2132	Fr10,12,14	500
2133	Fr16,18,20,22	500

Rectal Catheter

ID: A1020



Item ID	Specification	Pcs/Ctn
2115	Fr24	240
2116	Fr30,33,36	240

Oxygen Cannula (Oxygen Mask)

ID: A1021



By medical-graded Polyvinyl Chloride
Super Transparent Tube with anti-bending line
Adjustable connector, for keeping oxygen passage
with tip/mask Single Tip, Dual Tip or Face Mask for
easy selection Uniform connector with wide range
adoption

Item ID	Name	Length	Application
3150.10	Oxygen Cannula	1800mm	Single Tip with Ear Loop
3150.15	Oxygen Cannula	1800mm	Single Tip with Foam
3150.20	Oxygen Cannula	1800mm	Dual Tip
3150.30	Oxygen Mask	2000mm	With Adult Use Face Mask
3150.35	Oxygen Mask	2000mm	With Child Use Face Mask

Endotracheal Tube

ID: A1022




Transparent oral/nasal PVC tube Designed for easy
introduction in routine anaesthesia or emergency
intubation Secondary Lumen for airway monitoring
or irrigation X-Ray detectable line Low Pressure Cuff

Item ID	Size (FR)	Int-Ext(MM)	Packed	Length(mm)
2300.10	20	5.0-6.7	100	245
2300.15	22	5.5-7.3	100	270
2300.20	24	6.0-8.0	100	280
2300.25	26	6.5-8.7	100	295
2300.30	28	7.0-9.3	100	300
2300.35	30	7.5-10.0	100	310
2300.40	32	8.0-10.7	100	325
2300.45	34	8.5-11.3	100	325
2300.50	36	9.0-12.0	100	325
2300.55	38	9.5-12.7	100	325
2300.60	40	10.0-13.3	100	330

Ballon Foley Catheter

ID: A1023



By soft, flexible pure nature latex
 100% Silicone Coated, minimize encrustation, against irritation
 Specially formulated strong symmetrical Balloon, Resist
 compression Professionally designed drainage funnel with tapered
 wall, for secure connection
 Nelaton type or Tiemann type for selection
 Colorful tip for easily identification
 Package in Ribbon Pouch, Sterile by E.O Gas.0

Item ID	Specification	Ballon capacity	Min. lenght	Package
			(MM)	PCS/CTN
	ONE WAY STANDARD			
11130	FR 8/10	NO BALLON	250	600
11131	FR12/14/16/18/20/22/24	NO BALLON	390	600
	2 WAY STANDARD			
11132	FR 8/10	3ML/CC	250	600
11133	FR 12/14	5-10ML/CC	390	600
11134	FR 16/18/20/22/24/26	5-15,30ML/CC	390	600
	3 WAY STANDARD			
11135	FR 16	5-10ML/CC	390	600
11136	FR 18	5-15,30ML/CC	390	600
11137	FR 20/22	5-15,30ML/CC	390	600
11138	FR 24/26	5-15,30ML/CC	390	600

Vaginal Speculum

ID: A1024



By Medical-grde transparent PC
 Specially designed construction
 Mold in smooth rim for safe use
 Individual packed, Sterile by E.O Gas

Item ID	Style	Size	Package
8110	Normal Style	S/M/L	100pcs/Case
8111	Collin Style	S/M/L	100pcs/Case

Urine Bag/Drainage Bag (Inlet/Outlet)

ID: A1025



Clean Graduation printing
 By medical-grade PVC or PE construction
 Specially designed drainage outlet and non-return valve
 100% quality control for keeping leakage free
 Welcome OEM processing production according to customer's sample and design.

Item ID	Capacity	Size	Package
8411	1000ml	Inlet/outlet	-
8412	2000ml	Inlet	250
8413	2000ml	Inlet/outlet	250
8414.10	Deluxe, auto valve 2000ml	Auto valve	-
8414.20	Deluxe 2000ml		-
8415	Leg Urine Bag 500/800/1000ml	Inlet/outlet	

Urine Collector (Paediatric Use)

ID: A1026



Item ID	Capacity	Size	Package
8410.10	100ml	With Adhesive	5000/case
8410.20	200ml	With Foam Adhesive	5000/case

Umbilical Cord Clamp

ID: A1027



Designed specially to Baby use
 Individual packed, Sterile

Item ID	Style	Package	Remarks
8310	Nylon white colour	5000pcs/Ctn	PVC

02: Medical dressing

Air-through Surgicalpore Tape

ID:B1001



Hypoallergic, Irrigation Free to Skin
 By fully breathable non-woven fabric
 Soft and comfortable surface, color: white, blue or beige for option
 Excellent Adhesivity and clean remove after use
 Available in wide range of size, length or adhesivity to customer's selection

Item ID	Width (CM)	Lenght	NO./CTN
11011.10	1.25cm x 10m		576
11011.15	2.5cm x 10m		288
11011.20	5cm x 10m		144
11011.25	1.25cm x 5m		576
11011.30	2.5cm x 5m		288
11011.35	5cm x 5m		144

Transparent Surgical Tape

ID:B1002



By Medical-grade transparent PE material
 Tiny dotted surface for ensuring total breathable
 Easily to peel in any side or angle
 Specially designed coating for good transparency and adhesivity
 Wind range of size for selection

Item ID	Width (CM)	Lenght	NO./CTN
11012.10	1/2"	10YDS/10M	576
11012.15	1"	10YDS/10M	288
11012.20	2"	10YDS/10M	144
11012.25	1/2"	5YDS/5M	576
11012.30	1"	5YDS/5M	288
11012.35	2"	5YDS/5M	144

Suga Surgical Tape

ID: B1003



Use brand new material in net structure, 100% breathable Patented coating for ensuing perfect treatment to skin
 Silky, soft and comfortable like "The Second Skin"
 Wind range of specification for customer

Item ID	Width (CM)	Length	NO./CTN
11012.10	1/2"	10YDS/10M	576
11012.15	1"	10YDS/10M	288
11012.20	2"	10YDS/10M	144
11012.25	1/2"	5YDS/5M	576
11012.30	1"	5YDS/5M	288
11012.35	2"	5YDS/5M	144

Silk Tape

ID: B1004



By polyester silk fabric for medical use
 Specially designed for full air-through
 Patented Coating keep good ductibility to human skin With tech rim, easily be tear from any angle
 Wind range of specification for customer

Item ID	Width (CM)	Length	NO./CTN
11014.10	1/2"	5YDS	720
11014.15	1"	5YDS	360
11014.20	2"	5YDS	180
11014.25	3"	5YDS	180
11014.30	4"	5YDS	144

Air-through Plaster Pad

ID:B1005



Hypoallergic
By 100% natural material, Soft and breathable
Wide range for meeting with multipurpose

Item ID	Size	Package (Box)	Remark
27010	3X3CM	400PCS	20 BOX/CTN
27011	3X5CM	300PCS	
27012	5X5CM	250PCS	
27013	5X7.5CM	200PCS	
27014	7.5X7.5CM	200PCS	
27015	10X10CM	100PCS	
27016	10X15CM	50PCS	

Absorbent Cotton Wool

ID:B1006



BP88 /USP Type VII
High Absorbency, Fat free
Carefully selected Grade A Cotton
Individual Water-proof Packing

Item ID	Specification	Package	Remark
21001	50g	400RLS/Ctn(20KG)	by Ctn
21002	100g	200RLS/Ctn(20KG)	by Ctn
21003	200g	100RLS/Ctn(20KG)	by Ctn
21004	250g	100RLS/Ctn(25KG)	by Ctn
21005	400g	49RLS/Ctn(19.6KG)	by Ctn/Big Bale
21006	454g	36RLS/Ctn(16.2KG)	by Ctn/Big Bale
21007	500g	36RLS/Ctn(18KG)	by Ctn/Big Bale
21008	1000g	25RLS/Ctn(25KG)	by Ctn/Big Bale

Cutting Absorbent Gauze

ID:B1009



Grade A Cotton, Pure white
Packed with polybag with colorful ring
Generally used in medical dressing, cosmetic family healthcare, wound care etc.

Item ID	Specification	Mesh	Cutting size (CM)	Package
24010	21sx21s	30x20	10x10	1KG/Bag
24011	32sx32s	30x24	20x20	
24012	32sx32s	28x24	25x25	
24013	40sx40s	28x24	30x30	
24014	40sx40s	24x20	40x40	
24015	40sx40s	30x30	50x50	

Absorbent Gauze Sponge (SWAB)

ID:B1010



TO BP88/USP Type VII
Strictly production under ISO9002 QA System
Available wide range of package, size and ply to customer's option

Item ID	Specification: 40sX40sYarn Mesh:	Size	Ply	Package
25001	20X12 FOLDED	2"X2"	4PLY	100/200PCS/PACK 50/100/200PK/CTN
25002	20X12 UNFOLDED		8PLY	
25003	19X15 FOLDED	3"X3"	12PLY	
25004	19X15 UNFOLDED		16PLY	
25005	24X20 FOLDED	4"X4"	TO OPTION	
25006	24X20 UNFOLDED			
25007	28X24 FOLDED	4"X8"		
25008	28x24 UNFOLDED			

Gauze Bandage With Knitware Edge

ID: B1015



Item ID	Specification: 21s/32s/40s Mesh	Size	Package
25035	30X20	2",3",4",6"x 5,10YDS/METER	12ROLLS/PK 100/200PK/CTN

Triangular Bandage

ID: B1016



Item ID	Specification:	Size	Package
25041	COTTON 32SX32S 32X24	100X100X142CM 90X90X127CM(BLEACHED/UNBLEACHED)	1PC/POLYBAG
25042	VISCOSE 32SX32S 32X24		
25043	NON-WOVEN 60G/M2		

Laparotomy Sponge

ID: B1017



TO BP88/USP Type VII
Washed or Pre-washed, with or w/o X ray for customer's selection
Strict QA system for all delivery in exact length, width and mesh

Item ID	Specification: 40s/32s	Mesh:	Size	Package
25050	24X20	4PLY	4"X18", 8"X36"	10PCS/BUNDLE
25051	28X24	4PLY	12"X12", 18"X18"	1200PCS/CTN

NU Gauze Sponge

ID: B1019



Mady by 100% Viscose Non-woven
 30% more absorbency to Normal cotton gauze
 Lint less, better for wound care
 More high density mesh
 Economic Cost

Item ID	Specification	Size	Ply	Package
26001	35G±2G/M2, 100% VISCOSE NON-WOVEN GRAM,STRUCTURE TO CUSTOMER'S OPTION	2"X2"	4PLY	100/200PCS/PACK 50/100/200PK/CTN
26002		3"X3"		
26003		4"X4"	6PLY	
26004		3"X6"		
26005		4"X8"	8PLY TO OPTION	

Sterile NU Gauze Sponge

ID: B1020



Individual Packing, Sterile by Gamma Ray
 Conviniently used in Family care, Wound care and
 Emergency

Item ID	Size	Pounch size (CM)	Loading	Package
26010	2"x2"	6x8	1PC/2PC	100PK/BOX 40/60BOX/CTN
26011	3"x3"	8x10		
26012	4"x4"	12x16	5PC/10PC/POUCH	
26013	3"x6"	8x24		
26014	4"x8"	12x30	TO OPTION	

NU Gauze Ball

ID:B1021



Item ID	Specification: 40sX40s Mesh:30X20	Size	Package
26020	10X10CM	WITH OR W/O RING	100PCS/PK 30/40/60PK/CTN
26021	15X15CM		
26022	20X20CM		
26023	25X25CM		

Elastic Bandage

ID:B1022



TO BP88/USP TYPE VII
Good Absorbency and Breathable Material
Suitable Elasticity for Woundcare, Operation
care and Emergency
Available for wide standard range of size,
material & pack Transparent PP sheet packed
individually

Item ID	Specification	Description	Size	Package
28001	BE NATURAL WHITE OR BLEACHED, DYED TO BEIGH COLOR OR FLESH COLOR, OR TO CUSTOMER'S OPTION	COTTON CREPE	2"X5YDS	1PC/POLYBAG WITH 2 METAL CLIPS
28002		COTTON PLAIN		
28003		COTTON CREPE X-RAY		
28004		COTTON PLAIN X-RAY		
28005		120G/M2 COTTON CREPE	3":X5YDS	2" 72DZS/CTN
28006		100G/M2 COTTON CREPE	4"X5YDS	3" 48DZS/CTN
28007		78D NYLON CREPE	6"X5YDS	4" 36DZS/CTN
28008		78D NYLON PLAIN		
28009		100D NYLON CREPE	TO OPTION	6" 24DZS/CTN
28010		100D NYLON PLAIN		
28011		POLYESTER CREPE		
28012		STOCKINETTE NYLON		

Plaster of Paris

ID: B1023



Individual polyphene bag packed
Immediately and effectively solidify, reliable support
Attention to keep in clean and steady temperature place

Item ID	Size	Pcs/Ctn
17020	2"x5YDS	144
17021	3"x5YDS	144
17022	4"x5YDS	72
17023	6"X5YDS	72

Sterile Elastic Bandage (With core absorbent pad)

ID: B1024




Item ID	Size (MM)	Specification	Package
17030	20X70	FLESH ELASTIC PLASTER& CORE NON-ADHESIVE PAD	100PCS/BOX
17031	18X65		48BOX/CTN

3. Hospital supply

Latex surgical glove

ID:C1001



Surgical glove specifications:

- Natural rubber latex
- Micro roughened, non slip surface for optimal sensitivity
- Improved elasticity and fully anatomical design reduces hand fatigue
- Manufactured in accordance with BS 4005 / EN 455 / ASTM D-3577
- Sterile as long as the peel pouch is sealed and undamaged

ID	Size	Type	Packed
LX-1013	6, 6.5, 7, 7.5, 8, 8.5, 9	Latex, sterile, powdered	50 pairs
LX-1018	6, 6.5, 7, 7.5, 8, 8.5, 9	Latex, sterile, powder free	50 pairs

Latex glove, powdered

ID:C1002



The Latex gloves are ultra lightweight and elastic but at the same time near impossible to tear. These qualities results in:

- Less ripped gloves
- Increased comfort
- Touch sensitivity equal to working without gloves

The Latex glove abides with government sanctioned demands to disposable medical gloves and gives you a great opportunity to reduce costs while ensuring the health of both your patients and staff.

Type: Non-sterile, slightly powdered disposable gloves Material: Natural latex

Design: Ambidekstral

Storage: Dry, 10 - 30 degree Celsius

Expiration date: 5 years

AQL: 1,5

Remaining humidity: < 0,8 %

Remaining protein: < 200 µg/gram

Powder level: 120 mg/glove

Stretching ability: 700%

Fracture strength: > 21 MPa

Standards: ASTM D3578, EN455, ISO 9001:2000

CE approved: Yes

Packing: 100 pcs. per box, 10 boxes per carton

ID	Size	Type	Packed
LX-1011	S, M, L, XL	Latex, powdered	100 per box

Latex glove, powder free

ID: C1021



The Latex glove ARE ultra lightweight and elastic but at the same time near impossible to tear. These qualities results in:

- Less ripped gloves
- Increased comfort
- Touch sensitivity equal to working without gloves

The Latex glove abides with government sanctioned demands to disposable medical gloves and gives you a great opportunity to

reduce costs while ensuring the health of both your patients and staff.

Type: Non-sterile, powdered free disposable gloves

Material: Natural latex

Design: Ambidekstral

Storage: Dry, 10 - 30 degree Celsius

Expiration date: 3 years

AQL: 1,5

Remaining humidity: < 0,8 %

Remaining protein: < 50 µg/gram

Powder level: 2 mg/glove

Stretching ability: 700%

Fracture strength: > 21 MPa

Standards: ASTM D3578, EN455, ISO 9001:2000

CE approved: Yes

Packing: 100 pcs. per box, 10 boxes per carton

ID	Size	Type	Packed
LX-1015	S, M, L, XL	Latex, powder free	100 per box

Nitrile glove, powdered

ID:C1002



The Nitrile gloves holds the same degree of elasticity as you will find in latex gloves. Combined with the ultra lightweight feel of the Nitrile glove you will get:

- Less ripped gloves
- Increased comfort
- Touch sensitivity equal to working without gloves
- A more secure grip as a direct result of the uneven surface

The Nitrile glove abides with government sanctioned demands to disposable medical gloves and gives you a great opportunity to reduce costs while ensuring the

health of both your patients and staff.

The Nitrile glove is also and excellent alternative for those allergic to latex. Dentists should choose the Nitrile glove when using strong chemical.

Type: Non-sterile, slightly powdered disposable gloves
 Material: 100% synthetic nitrile
 Design: Ambidekstral
 Storage: Dry, 10 - 30 degree Celsius
 Expiration date: 5 years
 AQL: 1,5
 Remaining humidity: < 0,8 %
 Stretching ability: 500%
 Fracture strength: > 14 MPa
 Standards: ASTM D6319, EN455, ISO 9001:2000
 CE approved: Yes
 Packing: 100 pcs. per box, 10 boxes per carton

ID	Size	Type	Packed
NL-1031	S, M, L, XL	Nitrile, powdered	100 per box

Nitrile glove, powder free

ID: C1002



The Nitrile gloves hold the same degree of elasticity as you will find in latex gloves. Combined with the ultra lightweight feel of the Nitrile glove you will get:

- Less ripped gloves
- Increased comfort
- Touch sensitivity equal to working without gloves
- A more secure grip as a direct result of the uneven surface

The Nitrile glove abides with government sanctioned demands to disposable medical gloves and gives you a great opportunity to reduce costs while ensuring the health

of both your patients and staff.

The Nitrile glove is also an excellent alternative for those allergic to latex. Dentists should choose the Nitrile glove when using strong chemical.

Type: Non-sterile, powder free disposable gloves

Material: 100% synthetic nitrile

Design: Ambidekstral

Storage: Dry, 10 - 30 degree Celsius

Expiration date: 3 years

AQL: 1,5

Remaining humidity: < 0,8 %

Stretching ability: 500%

Fracture strength: > 14 MPa

Standards: ASTM D6319, EN455, ISO 9001:2000

CE approved: Yes

Packing: 100 pcs. per box, 10 boxes per carton

ID	Size	Type	Packed
NL-1035	S, M, L, XL	Nitrile, powder free	100 per box

Vinyle glove, powdered

ID: C1020



The Vinyl gloves hold a much higher degree of elasticity than you are likely to find in an average vinyl glove. Combined with the ultra lightweight feel of the Vinyl glove you will get:

- Less ripped gloves
- Increased comfort
- Touch sensitivity equal to working without

gloves

The Vinyle glove abides with government sanctioned demands to disposable medical gloves and gives you a great opportunity to reduce costs while ensuring the health of both your patients and staff.

The Vinyle glove is also and excellent alternative for those allergic to latex.

Type: Non-sterile, slightly powdered disposable gloves
Material: Vinyle (Poly Vinyle Chlorid - PVC)

Design: Ambidekstral

Storage: Dry, 10 - 30 degree Celsius

Expiration date: 5 years

AQL: 1,5

Remaining humidity: < 0,8 %

Stretching ability: 300%

Fracture strength: > 9 MPa

Standards: ASTM D5250, EN455, ISO 9001:2000

CE approved: Yes

Packing: 100 pcs. per box, 10 boxes per carton

ID	Size	Type	Packed
VL-1021	S, M, L, XL	Vinyle, powder	100 per box

Vinyle glove, powder free

ID:C1021



The Vinyle gloves hold a much higher degree of elasticity than you are likely to find in an average vinyle glove. Combined with the ultra lightweight feel of the Vinyle glove you will get:

- Less ripped gloves
- Increased comfort
- Touch sensitivity equal to working without gloves

The Vinyle glove abides with government sanctioned demands to disposable medical gloves and gives you a great opportunity to

reduce costs while ensuring the health of both your patients and staff.

The Vinyle glove is also and excellent alternative for those allergic to latex.

Type: Non-sterile, powder free disposable gloves

Material: Vinyle (Poly Vinyle Chlorid - PVC)

Design: Ambidekstral

Storage: Dry, 10 - 30 degree Celsius

Expiration date: 5 years

AQL: 1,5

Remaining humidity: < 0,8 %

Stretching ability: 300%

Fracture strength: > 9 MPa

Standards: ASTM D5250, EN455, ISO 9001:2000

CE approved: Yes

Packing: 100 pcs. per box, 10 boxes per carton

ID	Size	Type	Packed
VL-1025	S, M, L, XL	Vinyle, powder free	100 per box

Latex Condom

ID:C1004



100% Air tested
 Extremely Sensitive
 Texture, dotted, screwed Surface, colorful and perfumed available
 Individual pack, Sterilized by Gamma Ray
 Production strictly to ASTM D3492-96,ISO4074/1-1990

Item ID	Description	Individual Pack	Package	Loading
36001	31, 35, 36	Double PE	3PCS/BOX	300BOXES/CTN
36002		Al.Sheet+PE		
36003		Al.Sheet		
36004		Double PE	1DZ/BOX	500BOXES/CTN
36005		Al.Sheet+PE		
36006		Al.Sheet		

Surgical Blade

ID: C1005



By top-quality Carbon Steel/Stainless Steel
 Individually packed in an aluminium foil peelable pack and protected by VCI coated paper lining
 Finely grinded and honed edge
 Production strictly to ISO7740
 Excellent sharpness and Competitive cost

Item ID	Material	Size	Pcs/Ctn
3011	CARBON STEEL	No.10.11.12.14.15.18.20.21.22.23.24.25	5000
3012	STAINLESS STEEL		
3013	CARBON STEEL		5000

Surgical Scalpel

ID: C1006



Strictly fitable plastic handle
Packed in composition Aluminium foil
Sterilized by Gamma Ray

Item ID	Material	Size	Pcs/Ctn
3014	CARBON STEEL	No.10.11.12.14.15.18.20.21.22.23.24.25	500

Suture Needle

ID:C1007



By selected stainless steel
Wide range of needle shape and point type for tissue to be sutured.Special treatment on Needle Tip for smooth penetration
With various type of catgut for all application.Packed in PE bag /Al.pouch, sterile by Gamma Ray.Production to BP/USP

Item ID	NEEDLE			CATGUT	SUTURE SIZE USP									
	TIP	LENGTH(MM)	SHAPE	LENGTH(CM)	2	1	0	2/0	3/0	4/0	5/0	6/0	7/0	8/0
33001		6	3/8circle ii 1/2circle	30CM								-	-	-
33002		8		45CM						-	-	-	-	-
33003		10		45CM						-	-	-	-	
33004		11		45CM						-	-	-	-	
33005		12		45CM						-	-	-		
33006		13		75CM						-	-	-	-	
33007		15		75CM					-	-	-	-		
33008		16		75CM				-	-	-	-			
33009		17		75CM				-	-	-	-			
33010		19		75CM			-	-	-	-	-			
33011		20		75CM			-	-	-	-	-			
33012		22		75CM			-	-	-	-				
33013		25		75CM		-	-	-	-	-				
33014		26		75CM		-	-	-	-					
33015		30		75CM		-	-	-	-					
33016		35		75CM		-	-	-						
33017		36		75CM		-	-	-						
33018		37		75CM		-	-	-	-					
33019		40		75CM-		-	-	-						
33020		45		75CM		-	-	-	-					
33021		48		75CM		-	-	-						
33022		50		75CM		-	-	-						
33023		55		75CM		-	-	-						
33024		60		75CM		-	-	-						

Wooden Tongue Depressor

ID: C1008



By selected Grade A Birch wood
 Special treatment on the both rim for safe use
 Smooth surface, keep steady shape under any condition
 Individual pack and sterilized by Gamma Ray

Item ID	Description	Size		Package
		Width	Length	
35001	Standard	6"	11/16"	100pc/box,50box/Ctn
35002	Standard(Sterile)	6"	11/16"	
35003	Junior	5 1/2"	5/8"	Sterile: 1pc/Pouch, 50pcs/box 50box/Ctn
35004	Junior(Sterile)	5 1/2"	5/8"	
35005	Infant	4 1/2"	3/8"	
35006	Infant(Sterile)	4 1/2"	3/8"	

Wooden Cervical Scraper


ID:C1009



Item ID	Description	Size		Package
		Width	Length	
35020	Standard	6"	11/16"	100PCS/BAG 50BAG/CTN

Face Mask

ID:C1010



By Non-woven fabric and glass-fibre free filter
Efficiency to bacterial free by over 97%
With plastic warparound shield for protecting
face and eyes
Soft band for easy looping

Item ID	Size	Pcs/Ctn
30110	3ply w/filter, earloop	2000
30111	3ply w/filter, tie on	2000
30112	2ply w/o filter earloop	2500
30113	2ply w/o filter tie on	2500

Paper Face Mask

ID:C1011



By High strength and Good filter paper
Commonly use, very economical cost

Item ID	Description	Style	Package
30115	2-layer	EAR LOOP	100PCS/BOX, 20BOXES/CTN
30116	single layer	EAR LOOP	

Item ID	Size	Pcs/Ctn
30115	2ply earloop	10000
30116	single ply earloop	10000

Non-woven Medical Dressing (Nurse cap - Buffaunt type)

ID: C1012



By Spundond Polypropylene Non-woven Fabric
Water-proof surface, soft and smooth, fiber-glass free
Style, size, color and material to customer's design and requirement
Available packed in individual pack, sterile by E.T.O.

Item ID	Size	Pcs/Ctn
13103	14G/M2, 21"	1000
13105	Surgeon Cap, 30G/M2, 12x65cm	

Shoe Cover

ID:C1013



Item ID	Size	Pcs/Ctn
13110	42G/M2 w/band, 38x18cm	1000
13111	42G/M2 Anti-slide, 38x18cm	2000

Isolation Gown

ID: C1014



Item ID	Description	Size (CM)	Package
13120	30G/M2	115X137	10PCS/BAG 10BAGS/CTN
13121	30G/M2 COATING	120X140	
13122	25G/M2	115X137	
13123	25G/M2 COATING	120X140	

Stethoscope

ID: C1017



Produced strictly according to ISO9000 QA system
Single or Dual use
In a variety of style, color and package
Comply to 93/42/EEC, with CE0483

Item ID	Description	Style	Package
38120	Single Sensor	Single Chestpiece	1pc/box, 50pcss/Ctn
38121	Dual Sensors	Combination Stethoscope	

Sphygmomanometer

ID: C1018




Produced strictly according to ISO9000 QA system
Comply to 93/42/EEC, with CE0483

Item ID	Description	Model	Package
38125	Mercurial	Desk Model	1pc/box, 10-50pcss/Ctn
38126	Light(Al.) meter	Aneroid Model	
38127	Heavy(Zine) meter	Aneroid Model	
38128			

Identification Belt

ID:C1019



By Medical use grade PVC, Toxic Free
Color belt, for easiler identification
With insert for necessary inform for recording
Easilier nylon locking for all sizes of patient

Item ID	Description	Size		Package
		Width	Length	
37001	Standard	6"	1'	1pc/Pouch, 100pcs/box 50box/Ctn
37003	Junior	5"	11/16"	
37005	Infant	4 1/2"	5/8"	

I.V Stand

ID: K1027



Item ID

k1027

I.V Stand

ID: K1028



Item ID

k1028

I.V Stand

ID:K1029



Item ID

k1029

Bedpan

ID: K1030



Item ID
k1030

Urinal

ID:K1031



Item ID
k1031

Urinal

ID:K1032



Item ID
k1032

Medicine box

ID:K1033



Item ID
k1033

Medicine box

ID: K1034



Item ID
k1034

4. Healthcare supply

Self-adhesive Woundcare Dressing

ID:D1001



Combining Plaster and Dressing, for Perfect Wound-care
By Air-through Non-woven Plaster, Hypoallergic
With breachable non-adherent PE sheet and high
absorbent pad
Wide range of size meet for all careing area
Individual pack, Sterile by Gamma Ray

Item ID	Core Size (CM)	Size (CM)	Pouch Size (CM)	Pcs/Ctn
38001	3X5X0.1	5X7	7X10	4000
38002	5X5X0.3	10X10	12X15	2000
38003	5X10X0.3	10X15	12X18	2000
38004	5X15X0.3	10X20	12X23	2000
38005	5X20X0.3	10X25	12X28	2000
38006	5X25X0.3	10X30	12X33	1000
38007	5X30X0.3	10X35	12X38	1000
38008	5X30X0.3	12X35	14X38	1000

Water-proof Adhesive Dressing

ID:D1002



With breachable transparent PE sheet and high absorbent
pad. Soft and Water proof surface, for protecting wound
and dressing .Individual pack, Sterile by Gamma Ray

Item ID	Size (CM)	Pouch Size (CM)	Pcs/Ctn
38010	5X7	7X10	4000
38011	10X10	12X15	2000
38012	10X15	12X18	2000
38013	10X20	12X23	2000
38014	10X25	12X28	1000
38015	10X30	12X33	1000
38016	10X35	12X38	1000

First-aid Bag

ID:D1003



Scientifically designed project for outdoors emergency use. By selected top quality dressing and spare parts for easy handling Individual pack, Sterile by Gamma Ray Providing rather completed treatment on woundcare in accident

Item ID	Description	Size (Outer bag)	Package
36001	<ul style="list-style-type: none"> *Non-woven Triangular Bandage(90x90x127cm) 1pc *Sterile Gauze Sponge 3"x3" 5pc/bag 1pc *Elastic Bandage 2"/3"x5yds 2pc *Band-Aid 2x7cm 5pcs *Zine-Oxide Plaster 1/2"x5yds 1pc *Latex Exam.Glove "L" 1pair *Handlight 1pc *Scissor 12cm 1pc *2-way Zipper Non-woven Bag 	9X12CM(COLOR & PRINTING TO CUSTOMER'S OPTION)	
36002	<ul style="list-style-type: none"> *Insert for First-Aid instruction 1pc *Non-woven Triangular Bandage(100x100x142cm) 1pc *Sterile Gauze Sponge 3"x3" 5pc/bag 2pc *Nu Gauze Pad 6x8cm 2pc *Elastic Bandage 2"/3"x5yds 2pc *Self-Adhesive Dressing 9x9cm 2pc *Air-through Plaster 1/2"x5yds 1pc *Latex Exam.Glove "L" 1pair *Handlight 1pc *Scissor 12cm 1pc *2-way Zipper Non-woven Bag with trap 	12X15CM(COLOR & PRINTING TO CUSTOMER'S OPTION) PAPER BOX 14X15CM FOR SELECTION.	1PC/POLY BAG 240/400/500SETS/CTN
36003	<ul style="list-style-type: none"> *Insert for First-Aid instruction 1pc *Non-woven Triangular Bandag(100x100x142cm) 1pc *Sterile Gauze Sponge 3"x3" 5pc/bag 2pc 4"x4" 5pc/bag 1pc *Nu Gauze Pad 6x8cm 2pc 8x10cm 2pc *Elastic Bandage 2"/3"x5yds 2pc *Self-Adhesive Dressing 9x9cm 2pc 10x15cn 2pc *Air-through Plaster 1/2"x5yds 1pc *Latex Exam.Glove "L" 1pair *Handlight 1pc *Scissor 12cm 1pc *Fluorescent Chalk, powder free 1pc *2-way Zipper Non-woven Bag with trap 	14X15CM(COLOR & PRINTING TO CUSTOMER'S OPTION) METAL BOX 14X16CM FOR SELECTION	

Dust Mask

ID:D1004



100% Extra thin Polyphene fibre. fibre-glass free
Water-proof surface, Al. banded shape suitable for face
Soft and smooth rubber band looping
Good filtration from dust, variety of spec. for selection

Item ID	Description	Specification (G/M2)	Package
31001	NORMAL TYPE Rubber Band	120/140/160g/M2	50PCS/BOX 20BOX/CTN
31002	NORMAL TYPE Cotton Band	160/180g/M2	
31003	DEEP TYPE Rubber Band	200/220g/M2	
31004	DEEP TYPE Cotton Band	200/220g/M2	
31005	TRIANGULAR TYPE	170g/M2	
31006	FILTER MASK	200g/M2	24PCS/BOX
31007	COMPOUND TYPE	NORMAL FILTER	12PCS/BOX 12BOX/CTN
31008	COMPOUND TYPE	COCONUT FILTER	

Eye Shelter

ID:D05



Specially designed structure fitable for face.
Protection from strike.
Clear and wide len for better view
By transparent and durable polyethene material

ITEM NO	DESCRIPTION	SPEC.	PACKAGE
31101	TYPE 1 TRANSPARENT LEN	Strike Proof	12PCS/BAG 24BAGS/CTN
31102	TYPE 1 GREEN LEN	Strike Proof	
31103	TYPE 1 BLUE LEN	Strike Proof	
31104	TYPE 2	-	
31105	TYPE 3	-	

Ear Shelter

ID:D006



Specially designed structure
Can be in a set with Eye Shelter, Filter Mask

Item ID	Description	Specification	Package
31101	TYPE 1 TRANSPARENT LEN	Strike Proof	12PCS/BAG 24BAGS/CTN
31102	TYPE 1 GREEN LEN	Strike Proof	
31103	TYPE 1 BLUE LEN	Strike Proof	
31104	TYPE 2	-	
31105	TYPE 3	-	

Non-adhesive absorbent Pad

ID:D007




By 100% Viscose, keeping over 800% absorbency With breachable PE sheet lint free Pure white, soft and Fluorometry free
Wide range of size meet for all wound caring area

Item ID	Size (CM)	Pcs/Ctn
38001	x5x7	5000
38002	x10x10	2000
38003	x10x15	1000
38004	x10x20	1000
38005	x10x25	1000
38006	x10x30	500
38007	x10x35	500
38008	x12x35	500

General Use Wipe

ID:D008



Widely used for hospital, clinics and other place need clean frequently. By Viscose and Polyphene, good absorbency Lint less, Fluorometry free and even construction. Various of size, thickness or package to customer's option.

Item ID	SPEC:	PERCENTAGE	PLY	PACKAGE
39001	4"X4"	COTTON+POLYESTER VISCOSE+POLYESTER TO OPTION	2PLY 4PLY 6PLY TO OPTION	100/200PCS/PACK 50/100/200PK/CTN
39002	4"X6"			
39003	6"X8"			
39004	4"X8"			
39005	8"X11"			
39006	16"X11"			
39007	8"X16"			
39008	16"X16"			

Fetal Doppler Model 168L (Pink)



Item ID

168L

CE Approved Fetal Doppler Model 168L (Pink), with earphone, a type of hand fetal Doppler, could meet the needs in the obstetrics department and clinics, especially the needs of the pregnancy for daily examination at home. Model 168L capable of catching the fetal heart tones via earphones could transmit the real-time fetal heart tones (could also be recorded by a computer via some software) to the doctors or hospital via the telephone cable with the help of the interface port. Features:

- * with a large piece of built-in supersonic crystal, convenient for the pregnant to locate the fetal heart.
- * with a special interface for the fetal heart tones transmission
- * with a fetal movement button, producing the sound of telephone when pressed.
- * with an ability to catch the fetal heart tones of a 12-week-old or elder fetus
- * with lovely outline.

5. Hospital furniture

Hospital bed - manual (model 31804c)

ID:J1001



Item ID
j1001

1. Mattress construction : Made of electro galvanized steel sheet, perforated and equipped with mattress stopper at all side.
2. Back raise, knee raise, and hi-lo position : Adjusted by spindle type crank that located at the foot panel.
3. I.V Stand : Stainless steel pipes which the height are adjusted by lock screw.
4. Safety side guard : Stainless steel pipes with automatic "lock in position" system.
5. Head and foot panel : Made of furnished wood. For 318CM series, 31820, and classic bed series are added stainless steel pipes frame and the panel can be detachable for 31820.
6. Castors : 5" castors swivel 360 degree, two with brake and swivel lock.
7. Painting : Epoxy powder coating finished. Several standard colour types can be selected.
8. Shipping dimension : 2300mm (L) x 1000mm (W) x 570 mm(H)
9. Shipping weight : Approx. 100 Kgs

Hospital bed - manual (model 31804cm)

ID:J1002



Item ID
j1002

1. Mattress construction : Made of electro galvanized steel sheet, perforated and equipped with mattress stopper at all side.
2. Back raise, knee raise, and hi-lo position : Adjusted by spindle type crank that located at the foot panel.
3. I.V Stand : Stainless steel pipes which the height are adjusted by lock screw.
4. Safety side guard : Stainless steel pipes with automatic "lock in position" system.
5. Head and foot panel : Made of furnished wood. For 318CM series, 31820, and classic bed series are added stainless steel pipes frame and the panel can be detachable for 31820.
6. Castors : 5" castors swivel 360 degree, two with brake and swivel lock.
7. Painting : Epoxy powder coating finished. Several standard colour types can be selected.
8. Shipping dimension : 2300mm (L) x 1000mm (W) x 570 mm(H)
9. Shipping weight : Approx. 100 Kgs

Hospital bed - manual (model 31804s)

ID:J1003



Item ID

j1003

1. Mattress construction : Made of electro galvanized steel sheet, perforated and equipped with mattress stopper at all side.

2. Back raise, knee raise, and hi-lo position : Adjusted by spindle type crank that located at the foot panel.

3. Head and foot panel : Made of furnished wood. For 318CM series, 31820, and classic bed series are added stainless steel pipes frame and the panel can be detachable for 31820.

4. Castors : 5" castors swivel 360 degree, two with brake and swivel lock.

5. Painting : Epoxy powder coating finished. Several standard colour types can be selected.

6. Shipping dimension : 2300mm (L) x 1000mm (W) x 570 mm(H)

7. Shipping weight : Approx. 100 Kgs

Hospital bed - manual (model 31820)

ID: J1004



Item ID

j1004

1. Mattress construction : Made of electro galvanized steel sheet, perforated and equipped with mattress stopper at all side.

2. Back raise, knee raise, and hi-lo position : Adjusted by spindle type crank that located at the foot panel.

3. I.V Stand : Stainless steel pipes which the height are adjusted by lock screw.

4. Safety side guard : Stainless steel pipes with automatic "lock in position" system.

5. Head and foot panel : Made of furnished wood. For 318CM series, 31820, and classic bed series are added stainless steel pipes frame and the panel can be detachable for 31820.

6. Castors : 5" castors swivel 360 degree, two with brake and swivel lock.

7. Painting : Epoxy powder coating finished. Several standard colour types can be selected.

8. Trendelenburg or Reverse trendelenburg : Operated by Hi-Lo mechanism with additional coupling mechanism

9. Shipping dimension : 2300mm (L) x 1000mm (W) x 570 mm(H)

10. Shipping weight : Approx. 100 Kgs

Hospital bed - manual (model 33802)

ID:J1005



Item ID

j1005

1. Mattress construction : Made of electro galvanized steel sheet, perforated and equipped with mattress stopper at all side.
2. Back raise, knee raise: Adjusted by spindle type crank that located at the foot panel.
3. I.V Stand : Stainless steel pipes which the height are adjusted by lock screw.
4. Safety side guard : Stainless steel pipes with automatic "lock in position" system.
5. Head and foot panel : Made of furnished wood. For 318CM series, 31820, and classic bed series are added stainless steel pipes frame and the panel can be detachable for 31820.
6. Castors : 5" castors swivel 360 degree, two with brake and swivel lock.
7. Painting : Epoxy powder coating finished. Several standard colour types can be selected.
8. Shipping dimension : 2300mm (L) x 1000mm (W) x 570 mm(H)
9. Shipping weight : Approx. 100 Kgs

Hospital bed - electrical (model 730 Supramak)

ID: J1006




Item ID

j1006

1. Mattress Construction : Made of electro galvanized steel sheet, perforated and equipped with mattress stopper at all side.
2. Back raise, knee raise, and hi-lo position : Operated by electrical motor
3. I.V Stand : Stainless steel pipes which the height are adjusted by lock screw.
4. Head and foot panel : Made of furnished wood and stainless steel pipes frame, detachable. Specially supramak, it made of ABS plastics.
5. Safety side guard : Stainless steel pipes with automatic "lock in position" system. Specially for supramak it made of aluminium pipes and nylon with "lock in position" system.
6. Castors : 5" castors swivel 360 degree, two with brake and swivel lock.
7. Painting : Epoxy powder coating finished. Several standard colour types can be selected.
8. Electronic Control : (developed by LINAK - Denmark, specially for hospital bed) + Motor : 24V DC motor, portable adjustable remote control switch. + Power consumption : 220V AC/50Hz, 100Watt + Optional : battery backup and the mattress
9. Shipping dimension : 2300mm (L) x 1000mm (W) x 570 mm(H)
10. Shipping weight : Approx. 100 Kgs

Hospital bed - electrical (model 31804 cme)


ID:J1007



1. Mattress Construction : Made of electro galvanized steel sheet, perforated and equipped with mattress stopper at all side.
2. Back raise, knee raise, and hi-lo position : Operated by electrical motor
3. I.V Stand : Stainless steel pipes which the height are adjusted by lock screw.
4. Head and foot panel : Made of furnished wood and stainless steel pipes frame, detachable. Specially supramak, it made of ABS plastics.
5. Safety side guard : Stainless steel pipes with automatic "lock in position" system. Specially for supramak it made of aluminium pipes and nylon with "lock in position" system.
6. Castors : 5"castors swivel 360 degree, two with brake and swivel lock.
7. Painting : Epoxy powder coating finished. Several standard colour types can be selected.
8. Electronic Control : (developed by LINAK - Denmark, specially for hospital bed) + Motor : 24V DC motor, portable adjustable remote control switch. + Power consumption : 220V AC/50Hz, 100Watt + Optional : battery backup and the mattress
9. Shipping dimension : 2300mm (L) x 1000mm (W) x 570 mm(H)
10. Shipping weight : Approx. 100 Kgs

Hospital bed - electrical (model 31820 cme)

ID: J1008



1. Mattress Construction : Made of electro galvanized steel sheet, perforated and equipped with mattress stopper at all side.
2. Back raise, knee raise, and hi-lo position : Operated by electrical motor
3. I.V Stand : Stainless steel pipes which the height are adjusted by lock screw.
4. Head and foot panel : Made of furnished wood and stainless steel pipes frame, detachable. Specially supramak, it made of ABS plastics.
5. Safety side guard : Stainless steel pipes with automatic "lock in position" system. Specially for supramak it made of aluminium pipes and nylon with "lock in position" system.
6. Castors : 5"castors swivel 360 degree, two with brake and swivel lock.
7. Painting : Epoxy powder coating finished. Several standard colour types can be selected.
8. Electronic Control : (developed by LINAK - Denmark, specially for hospital bed) + Motor : 24V DC motor, portable adjustable remote control switch. + Power consumption : 220V AC/50Hz, 100Watt + Optional : battery backup and the mattress
9. Shipping dimension : 2300mm (L) x 1000mm (W) x 570 mm(H)
10. Shipping weight : Approx. 100 Kgs
11. Trendeleburg & reverse trendelenburg

Elektromotion bed

ID: K1035



Item ID

k1035

Bed

ID: K1036



Item ID

k1036

Bed

ID: K1037



Item ID

k1037

Patient transportation bed (model 31201)

ID: J1009



1. Mattress : Foam & imitation leather
2. Painting : Epoxy Powder Coating Finished
3. Castors : Four 5" castors exclude Model 31202 (only two castors , with additional front wheel). For model 31206, we add two 4" castors.
4. Stretcher : + Model 31201 : Can be folded into two parts + Model 31206 : Can be modified into chair position. Leg stretcher can be folded automatically when getting into ambulance. The side guard can be folded also.
5. Steel pipes
6. I.V Stand, bracket oxygen

Patient transportation bed (model 31202)

ID:J1010



1. Mattress : Foam & imitation leather
2. Castors : 2 2" castors with brakes.
3. Stretcher : + Model 31201 : Can be folded into two parts + Model 31206 : Can be modified into chair position. Leg stretcher can be folded automatically when getting into ambulance. The side guard can be folded also.
4. Stainless less piper
5. I.V Stand, bracket oxygen

Item ID

j1010

Patient transportation bed (model 31206-1)

ID:J1011



1. Mattress : Foam & imitation leather
2. Castors : Four 5" castors with 2 brakes.
3. Stretcher : + Model 31201 : Can be folded into two parts + Model 31206 : Can be modified into chair position. Leg stretcher can be folded automatically when getting into ambulance. The side guard can be folded also.
4. Stainless steel pipes

Item ID

j1011

Patient transportation bed (model 31206-2)

ID: J1012



1. Mattress : Foam & imitation leather
2. Castors : Four 5" castors with 2 brakes.
3. Stretcher : + Model 31201 : Can be folded into two parts + Model 31206 : Can be modified into chair position. Leg stretcher can be folded automatically when getting into ambulance. The side guard can be folded also.
4. Stainless steel pipes

Item ID

j1012

Patient transportation bed (model 34130)

ID: J1013



1. Mattress : Foam & imitation leather
2. Castors : Four 5" castors exclude Model 31202 (only two castors , with additional front wheel). For model 31206, we add two 4" castors.
3. Stretcher : + Model 31201 : Can be folded into two parts + Model 31206 : Can be modified into chair position. Leg stretcher can be folded automatically when getting into ambulance. The side guard can be folded also.
4. Steel pipes, steel sheets, stainless steel pipes
5. I.V Stand, braket oxygen & rack for clothes

Item ID

j1013

Patient transportation bed

ID: J1014



1. Mattress : Foam & imitation leather
2. Painting : Epoxy Powder Coating Finished
3. Castors : Four 5" castors exclude Model 31202 (only two castors , with additional front wheel). For model 31206, we add two 4" castors.
4. Stretcher : + Model 31201 : Can be folded into two parts + Model 31206 : Can be modified into chair position. Leg stretcher can be folded automatically when getting into ambulance. The side guard can be folded also.

Item ID

j1014

Patient transportation bed

ID: J1015



1. Mattress : Foam & imitation leather
2. Painting : Epoxy Powder Coating Finished
3. Castors : Four 5" castors exclude Model 31202 (only two castors , with additional front wheel). For model 31206, we add two 4" castors.
4. Stretcher : + Model 31201 : Can be folded into two parts + Model 31206 : Can be modified into chair position. Leg stretcher can be folded automatically when getting into ambulance. The side guard can be folded also.

Item ID

j1015

Patient transportation bed

ID:J1016



1. Mattress : Foam & imitation leather
2. Painting : Epoxy Powder Coating Finished
3. Castors : Four 5" castors exclude Model 31202 (only two castors , with additional front wheel). For model 31206, we add two 4" castors.
4. Stretcher : + Model 31201 : Can be folded into two parts + Model 31206 : Can be modified into chair position. Leg stretcher can be folded automatically when getting into ambulance. The side guard can be folded also.

Item ID

j1016

Examination chair (model 31310)

ID:J1017



1. Mattress : Foam imitation leather
2. Made of steel sheet and stainless steel pipes
3. Mattress base : steel sheet, epoxy powder coating finished
4. Back raise : Adjustable by telescopic mechanism
5. Dimension (mm) : 1920(L) x 800(W) x 710(H)

Item ID

j1017

Examination bed (model 34101)

ID: J1018



1. Mattress : Foam imitation leather
2. Made of steel sheet and stainless steel pipes
3. Mattress base : steel sheet, epoxy powder coating finished
4. Back raise : Adjustable by telescopic mechanism
5. Dimension (mm) : 1920(L) x 800(W) x 710(H)

Item ID

j1018

Gynaecolog Chair (model 530a-1)

ID:J1019



- + Made of steel sheet and stainless steel pipe
- + Castor wheel
- + Stand is made of steel plate with motor unit uinside for height adjustment
- + Seat & Back raise bases are made of steel sheel
- + Back raise is adjusted by electric motor system
- + The mattress is made of foam & imitation leather
- + Chair tilting/elevation is adjusted by electri motor system
- + Hi-Lo is adjuseted by electric motor system
- + Leg support is stainless steel rod & imitation leather and foam
- + Drawer underneath seat is made of stainless steel sheet
- + Painting : Epoxy powder coating finished
- + Dimension (mm) = 600 (L) x 610 (W) x 920-720 (Hi-Lo)

Item ID

j1019

Gynaecolog table (model 31402)

ID:J1020



1. Mattress : Foam imitation leather
2. Made of steel sheet and stainless steel pipes
3. Mattress base : steel sheet, epoxy powder coating finished
4. Drawer : Center of the table , stainless steel
5. Leg support : Made of stainless steel
6. Back raise adjustable by telescopic mechanism
7. Equipped with 2" castor, detachable lock with upper table.
8. Length: 2075, Width: 800, Height: 710

Item ID

j1020

Gynaecolog table (model 34103)

ID:J1021



1. Mattress : Foam imitation leather
2. Made of steel sheet and stainless steel pipes
3. Mattress base : steel sheet, epoxy powder coating finished
4. Drawer : Center of the table , stainless steel
5. Leg support : Made of stainless steel
6. Upper back raise adjustable by telescopic mechanism
7. Lower back raise adjustable by telescopic mechanism
8. Length: 1920, Width: 800, Height: 710

Item ID

j1021

Baby basket (model 33609)

ID: J1022



This baby basket model made comfort baby with natural rubber, anti bacteriostatic mattress has become of our standard model.

And has been proven one of the good baby basket. These baby basket also can be changed into several positions : normal position (flat), trendelenburg and reverse trendelenburg position

1. Stainless steel pipes
2. Stainless steel wire mesh, with acrylic transparent on each side
3. 2" castors.

Item ID

j1022

Baby basket (model 33808)

ID: J1023



This baby basket model made comfort baby with natural rubber, anti bacteriostatic mattress has become of our standard model.

And has been proven one of the good baby basket. These baby basket also can be changed into several positions : normal position (flat), trendelenburg and reverse trendelenburg position.

1. Steel pipes
2. Steel wire mesh on each side
3. Epoxy powder coating
4. 2" castors

Item ID

j1023

Children bed (model 33602c)

ID: J1024



Designed to fulfill children bed's requirement. Made of stainless steel pipes and steel plate for mattress. Completed with sliding up & down side rails and equipped with 5" castors. Some types are supported by back raise adjustment that operated by crank underneath the mattress. There are several type from small to large size with or without back raise, made of steel or stainless steel pipe. Adjustable height infusion stand.

Item ID

j1024

Children bed (model 33606b)

ID: J1025



Designed to fulfill children bed's requirement. Made of stainless steel pipes and steel plate for mattress. Completed with sliding up & down side rails and equipped with 5" castors. Some types are supported by back raise adjustment that operated by crank underneath the mattress. There are several type from small to large size with or without back raise, made of steel or stainless steel pipe. Adjustable height infusion stand.

Item ID

j1025

Gynaecological chair

ID: K1038



Item ID

k1038

Bedside cabinet (model 31811)

ID:J1026



1. Construction : Made of steel sheet 1.2 mm
 2. Stainless steel rod
 3. Plywood : laminated
 4. Table top
 5. Towel hanger
 6. Drawer
 7. Main cabinet
 8. Shoe compartment
 9. Four 2" castors
- Length:470mm, Height:990mm, Width:465mm

Bedside cabinet (model 31815)

ID: J1027



- 1.Construction : Made of steel sheet 1.2 mm
 2. Stainless steel rod
 3. Plywood : laminated
 4. Table top
 5. Towel hanger
 6. Drawer
 7. Retractable table
 8. Main cabinet
 9. Shoe compartment
 10. Six 2" castors
 11. Folded side table
- Length:580mm, Height:990mm, Width:465mm

Item ID

j1027

Bedside cabinet (model 31816-1)

ID: J1028



- 1.Construction : Made of steel sheet 1.2 mm
2. Stainless steel rod
3. Plywood : laminated
4. Further information available upon request

Item ID

j1028

Bedside cabinet (model 31816)

ID: J1029



1. Construction : Made of steel sheet 1.2 mm
 2. Stainless steel rod
 3. Plywood : laminated
 4. Table top
 5. Towel hanger
 6. Drawer
 7. Retractable table
 8. Main cabinet
 9. Side cabinet
 10. Shoe compartment
 11. Eight 2" castors
 12. Folded side table
- Length:580mm, Height:990mm,
Width:465mm

Item ID

j1029

Flatwall cabinet (model 31821b)

ID: J1030



Reading lamp on the left side.

Item ID

j1030

Medicine cabinet (model 32901-1)

ID:J1031




Item ID

j1031

Medicine cabinet (model 32901)

ID: J1032



Item ID

j1032

Medicine cabinet (model 32902-1)

ID: J1033




Item ID

j1033

Medicine cabinet (model 32902)

ID: J1034



Item ID

j1034

Medicine cabinet (model 32903)

ID: J1035




Item ID

j1035

Operating table (model 520mp)

ID: J1036



- + Made of steel sheet, stainless steel sheet, and stainless steel pipe
- + Chassis construction is made of cast iron
- + Base of the table is made of stainless steel sheet
- + Base mattress are made of steel sheet divided into four parts head support, back, center and leg parts
- + Head support, backrest, and leg support are adjustable + The mattress is made of foam & imitation leather
- + Adjustable arm rest are on rail bracket
- + Trendelenburg / Reverse trendelenburg, side elevation can be obtained by crank
- + Table position can be rotated 360 degrees and the height can be adjusted
- + Painting : Epoxy powder coating finished
- + Dimension (mm) = 1920 (L) x 550 (W) x 1000-780 (Hi-Lo).

Item ID

i1036

Operating table (model 525)

ID: J1037



- + Made of steel sheet, stainless steel sheet, and stainless steel pipe
- + Chassis construction is made of cast iron
- + Base of the table is made of stainless steel sheet
- + Base mattress are made of steel sheet divided into four parts head support, back, center and leg parts
- + Head support, backrest, and leg support are adjustable + The mattress is made of foam & imitation leather
- + Adjustable arm rest are on rail bracket
- + Trendelenburg / Reverse trendelenburg, side elevation can be obtained by crank
- + Table position can be rotated 360 degrees and the height can be adjusted
- + Painting : Epoxy powder coating finished + Dimension (mm) = 1920 (L) x 550 (W) x 1000-780 (Hi-Lo)

Operating tray (model 35101)

ID: J1038



(Instrument trolley)

Item ID

j1038

Operating tray (model 35102)

ID: J1039



(Dressing trolley)

Item ID

j1039

Operating tray (model 35103)

ID: J1040



Item ID

j1040

Operating tray (model 36302)

ID: J1041



(Bowl stand double)

Item ID

j1041

Food trolley (model 35203)

ID:J1042



1. Stainless steel sheet
 2. 16 tray mounting bracket
 3. Plastic tray
 4. Painting epoxy powder coating
- Length:500mm, Width:700mm,
Height:1100mm

Item ID

j1042

Food trolley (model 10)

ID:J1043



Item ID

j1043

Medicine trolley (model 36602)

ID: J1044



- + Made of stainless steel pipe and steel sheet
- + Castor : 5" two with brake
- + Consist of acrylic drawers
- + Handle : Stainless steel pipe + Painting : Epoxy Powder Coating Finished
- + Lower Part : Two steel drawers and one cupboard

Item ID

j1044

Laundry trolley (model 35301)

ID: J1045



1. Steel sheet
 2. Painting epoxy powder
- Length: 975mm, Width:660mm, Height:710mm

Item ID

j1045

Laundry trolley (model 35302a)

ID:J1046




1. Steel sheet
 2. Plastic linen cloth
 3. Bracket hanger for dirty cloth
 4. Cupboard for clean cloth
 5. Steel sheet
 6. Painted epoxy powder
- Length:1085mm, Width:630mm, Height:1075mm

Item ID

j1046

Cleaner trolley (model 35310)

ID:J1047



This trolley is designed for multipurpose cleaning trolley. It support mopping, sweeping, window glass cleaning, utilities, bottles, plastic box, tissue box, etc. Linen bag is used to collect trash at the hall, wards, rooms and everywhere. Easy to move. Completed by 5" castors, two with brake


- + Construction : stainless steel pipes mop & broom
- + Side bracket : For hanging
- + Basket : 2pcs. Stainless steel rod pipes for plastic buckets
- + Base : Stainless steel
- + BUMPER : 4 pieces on each castors
- + Dimension (mm) : 1080(L) x 500 (W) x 1080(H)

Overbed table (model 31812)

ID: J1050



- 1.It made of steel sheet 1,8mm, plywood and stainless steel pipe
2. Table Top : Laminated furnished plywood (heat resistance)
3. Lower construction : Steel sheet , epoxy powder coating finished
4. Castor : Four 2" castors
5. Adjustable with stainless steel




Mattress (model 33603b)

ID:J1051



- + Made of natural rubber, strong linen cover and anti bacteriostatic type
- + Foldable to suit the contour (backrest, fowler, etc.)
- + 10 years quarantined
- Length:1700mm, Width:700mm, Thickness:100mm




Infuse stand (model 36101)

ID:J1052



Infuse stand with castors.



6. Laser

Next Laser

ID:E1001



Item ID

E1001

Infrared biostimulation laser Acupuncture, auriculotherapy, local therapy. Instantaneous power: 10,000 mW at 904 nm. Preprogrammed NOGIER frequencies depending on the desired therapeutic effect: analgesia - tissue regeneration - muscle relaxation.

Characteristics of laser emission Various types of lasers have been developed for various applications. The lasers used in reflex therapy and local therapy differ from surgical lasers. They are called "soft lasers" or "cold lasers" as their mean power is of the order of several milliwatts (mW). These types of lasers deliver a low energy and do not induce any thermal effects.

Several important criteria must be taken into account when choosing a laser devices.

1/ Wavelength

The cell is the basic constituent of living tissue. It reacts to external stimuli by means of a large number of specific captors. Laser light is one of these stimuli. It acts on the cells metabolism and environment. The biological mechanism of action has not been fully elucidated, but the electromagnetic field induced by coherent emission of the photons composing the laser beam appears to have an action on the membrane polarity of the cells. This facilitates intercellular exchanges.

SEDATELEC has chosen to use laser radiation sources emitting at a wavelength of about 900 nm. This wavelength is only slightly reflected by haemoglobin and poorly absorbed by water. The laser beam can therefore irradiate deep tissue layers. This wavelength ensures an effective action on cutaneous problems and on deeper muscular lesions. It also allows stimulation of trigger points and acupuncture points to a depth of 1 or 2 cm.

Next Laser Evolution

ID:E1002



Item ID

E1002

Infrared biostimulation laser
Acupuncture, auriculotherapy, local therapy

- Instantaneous power: 10,000 mW at 904 nm
- Preprogrammed NOGIER frequencies depending on the desired therapeutic effect
- Access to individual NOGIER frequencies
- Dental frequencies
- Instantaneous power: 10,000 mW at 904 nm
- Preprogrammed NOGIER frequencies depending on the desired therapeutic effect: analgesia - tissue regeneration - muscle relaxation.

Characteristics of laser emission
Various types of lasers have been developed for various applications. The lasers used in reflex therapy and local therapy differ from surgical lasers. They are called "soft lasers" or "cold lasers" as their mean power is of the order of several milliwatts

(mW). These types of lasers deliver a low energy and do not induce any thermal effects.

Several important criteria must be taken into account when choosing a laser devices.

1/ Wavelength

The cell is the basic constituent of living tissue. It reacts to external stimuli by means of a large number of specific captors. Laser light is one of these stimuli. It acts on the cells metabolism and environment. The biological mechanism of action has not been fully elucidated, but the electromagnetic field induced by coherent emission of the photons composing the laser beam appears to have an action on the membrane polarity of the cells. This facilitates intercellular exchanges.

SEDATELEC has chosen to use laser radiation sources emitting at a wavelength of about 900 nm. This wavelength is only slightly reflected by haemoglobin and poorly absorbed by water. The laser beam can therefore irradiate deep tissue layers.

This wavelength ensures an effective action on cutaneous problems and on deeper muscular lesions. It also allows stimulation of trigger points and acupuncture points to a depth of 1 or 2 cm.

Everlase

ID: E1003



Infrared biostimulation laser

Acupuncture, auriculotherapy, local therapy

- Instantaneous power: 12,500 mW at 905 nm
- Red targeting beam
- Preprogrammed NOGIER frequencies depending on the desired therapeutic effect
- Selection of the dose in mJ
- Sterilizable optical fibres

Characteristics of laser emission

Various types of lasers have been developed for various applications. The lasers used in reflex therapy and local therapy differ from surgical lasers. They are called "soft lasers" or "cold lasers" as their mean power is of the order of several milliwatts (mW). These types of lasers

Item ID

E1003

deliver a low energy and do not induce any thermal effects.

Several important criteria must be taken into account when choosing a laser devices.

1/ Wavelength

The cell is the basic constituent of living tissue. It reacts to external stimuli by means of a large number of specific captors. Laser light is one of these stimuli. It acts on the cells metabolism and environment. The biological mechanism of action has not been fully elucidated, but the electromagnetic field induced by coherent emission of the photons composing the laser beam appears to have an action on the membrane polarity of the cells. This facilitates intercellular exchanges.

SEDATELEC has chosen to use laser radiation sources emitting at a wavelength of about 900 nm. This wavelength is only slightly reflected by haemoglobin and poorly absorbed by water. The laser beam can therefore irradiat.

Girlase

ID:E1004



RED EMISSION

Wavelength: 635 nm \pm 20 nm

Mean beam spread:
 \pm 17° for 50% power

Pulse power: 2 mW

Emission mode: modulated

Pulse width: 50% of time

INFRARED EMISSION

Wavelength: 880 nm \pm 20 nm

Mean beam spread:
 \pm 8° for 50% power

Pulse power: 10 mW

Emission mode: modulated

Pulse width: 50% of time

Extremely useful in auriculo medicine, and posturologi, for diagnose and treatment. Please notice, learn VAS(Vascular Automatic Signal) before you buy this amazing laser.

Item ID

E1003

BTL 5000 prof. laser

ID:E1005



The BTL-5000 Laser series presents the best in low level laser therapy (LLLT) treatment, Black and white touch screen for easy operation, 400 mw infra read, patient database, continuous or puls, 150 preprogrammed treatment, sport, dermatology, dentistry, general praksis, neurology, ent, Nogier fr. EAV fr, and much more, user guide, pc and printer connection, sound volume, screen brightness, screen saver and much more.

- Black and white touch screen for easy operation
- 2 outputs for simultaneous connection of red and infrared probes
- Continuous and pulse laser therapy (frequency modulation 0-5000Hz)

- Infrared probes of 830nm wavelength and 400mW power output
 - Holder for laser probes
 - Duty factor setting 10-90% in steps of 10%
 - Pre-programmed treatment protocols and 150 free lots for user-created protocols
- Self-test of connected probes. As ekstra Equipment you can have:

Acupuncture set for laser acupuncture

Standard:

- Nogier and EAV frequencies
- Built-in patient database connecting patient data with treatment protocols (150 treatments only laser in the world)
- Built-in user guide and online help
- Connection to a PC and computer network
- Printer interface
- Sound volume adjustment, display colour and brightness setting, screen saver, auto switch-off.

Operation:

- continuous pulse 0.1 -5000Hz, 0.1-10000Hz (optional), adjustable in steps of 0.1 (0.1-9.99Hz), 1Hz(10-99Hz), 10Hz (100-990Hz), 100Hz (1000-10000Hz)
- Duty factor 10-90%
- Max. output of infrared probes 400 mW
- Laser class 3B
- Laser type semiconductor
- Dimensions 230 x 390 x 260mm
- Weight (less accessories) approx. 4.7kg
- Mains supply 230V/50-60Hz, 115V/50-60Hz

BTL 2000 prof.laser

ID: E1006



Powerfull handy 400 mW infrared laser with all possibilities, LCD display with an extremely easy operation, Continuous and pulse therapy (frequency modulation 0-5000Hz), Holder for laser probes, Duty factor setting 10-90%, Pre-programmed treatment protocols and free lots for user-created protocols, Self-test of connected probes and outputs, (Acupuncture set for laser acupuncture is ekstra equipment), Nogier and EAV frequencies, Built-in patient

Item ID	database and much more. IMPORTANT, we can deliver 400 mW infrared,
E1006	<ul style="list-style-type: none"> - LCD display with an extremely easy operation - Continuous and pulse therapy (frequency modulation 0-5000Hz) - Infrared probes of 830nm wavelength 400 mW power output - Holder for laser probes - Duty factor setting 10-90% - Pre-programmed treatment protocols and free lots for user-created protocols - Self-test of connected probes and outputs

As ekstra equipment:

Acupuncture set for laser acupuncture

Standard equipment:

- Nogier and EAV frequencies
- Built-in patient database
- The BTL-2000 is available with software for rehabilitation , dentistry , dermatology , gynaecology , ENT , orthopaedics, sports medicine, paediatrics and general practise

Technical specifications:

- Laser type semiconductor
- Modes of operation continuous and pulse
- Laser beam divergent and convergent
- Density continuously adjustable in the range of 0.1-99.0J/cm² 0.1-10.0J/cm², in steps of 0.1 11.0-99.0J/cm², in steps of 1
- Frequency continuously adjustable in the range of 0.1-5000Hz
- 0.1-10Hz in steps of 0.1Hz
- 10-100Hz in steps of 1Hz
- 100-1000Hz in steps of 10Hz
- 1000-5000Hz in steps of 100Hz
- Nogier and EAV frequencies
- Therapy time automatically calculated
- Wavelength 830nm

- Max. probe power 400mW
- Probe power adjustable in 20-100% of maximum power
- Irradiation area continuously adjustable in the range of 0.1-99.0cm²
0.1-10cm², in steps of 0.1
11.0-99.0cm², in steps of 1
- Acupuncture treatment location of acupuncture points (visually and by acoustic signal)
- Duty factor 10-90%
- Laser class 3B
- Power supply built-in accumulators 8 x NiCd
- Mains supply 230V/50-60Hz, 115V/50-60Hz adapter
- Dimensions 130 x 230 x 30mm
- Weight (less accessories) 0.7kg

Therapeutic laser

ID: E1007

Therapeutic laser white series, is designed for easy use and is understandable even for those who are new to laser technology, is a stationary, computer-controlled therapeutic laser that employs red and infrared BTL laser probes of various powers within the range of 30 -- 300 mW, special optical attachment, own programmes can be created and saved, operates



in both continuous and pulse modes; pulse frequencies are adjustable within the range of 0.1 -- 5000 Hz, automatically tests laser probe performance and corrects the power for optimal laser output. Incl. Special Eyewear

Therapeutic laser white series, is designed for easy use and is understandable even for those who are new to laser technology is a stationary,

Item ID

E1007

computer-controlled therapeutic laser that employs red and infrared BTL laser probes of various powers within the range of 30 -- 300 mW special optical attachment own programmes can be created and

saved operates in both continuous and pulse modes; pulse frequencies are adjustable within the range of 0.1 -- 5000 Hz automatically tests laser probe performance and corrects the power for optimal laser output Laser beam class 3B

Laser type semi-conductor

Modes of operation continuous pulse

Laser beam divergent convergent

Density 0.1 -- 99.0 J/cm²

Frequency continuously adjustable in the range of 0.1 -- 5000 Hz

Therapy time automatically calculated

Wavelengths 685 -- 830 nm

Maximum power output 30 -- 300 mW

Duty factor adjustable in the range of 10 -- 90 %, step 10 %

Mains supply 198 V - 252 V/50 - 60 Hz ; 100 - 126 V/50 - 60 Hz

Dimensions 225 x 375 x 130 mm

Weight 4.3 kg

BTL-4710 Sono Pro

ID: E1008



1-channel Ultrasound

- On-line encyclopaedia with pre-set protocols based on years of medical research
- Multifrequency ultrasound system with visual patient contact control
- Anatomically shaped heads for comfortable ultrasound application
- Water resistant heads for subaqual treatment
- Connection with other BTL products: electrotherapy

- High luminance displays for timer and other main parameters

Item ID

E1008

- User-defined protocols
- Identification of accessories and accessories maintenance check

- Multilingual unit
- Built-in rechargeable battery
- Multiple contact indicator (on the ultrasound head, display, sound alarm)
- Easy connection with BTL electrotherapy unit for combined treatment
- Pre-programmed protocols
- PC connection (for SW upgrades)
- BTL Cart (option)
- Ergonomic multi-frequency ultrasound heads (1 and 3MHz) of 4 & 1 cm²
- Continuous and pulse mode
- Water resistant ultrasound heads
- 1-channel portable ultrasound therapy unit with graphic displays
- Portability
- Ultrasound frequency 1 and 3 MHz
- Simultaneous connection of two ultrasound heads
- Therapeutic encyclopaedia

BTL-4800SL Combi

ID: E1009



1-channel Ultrasound + 1-channel Laser

- Treat 2 patients at the same time with independent therapies
- On-line encyclopaedia with pre-set protocols based on years of medical research
- Multifrequency ultrasound system with visual patient contact control
- **Anatomically shaped heads for comfortable ultrasound application**

Item ID

E1009

- Water resistant heads for subaqual treatment
- Connection with other BTL products: electrotherapy
- Save your time: treat large areas by high-powered BTL laser clusters (up to 1800mW)

- High luminance displays for timer and other main parameters
- User-defined protocols
- Identification of accessories and accessories maintenance check
- Multilingual unit
- Built-in rechargeable battery
- 2 independent channels

- Multiple contact indicator (on the ultrasound head, display, sound alarm)
- Test and identification of connected probes & clusters
- Wide choice of probes: red probes of 685nm wavelength and 30-50mW output power, infrared probes of 830nm wavelength and 50-400mW output power
- Wide range of laser clusters (red, infrared, combined) up to 1800mW output power
- Choice of optical attachments for ENT, urology, dentistry and gynaecology
- Protocols for different medical fields (rehabilitation, orthopedics, sports medicine, dentistry, gynaecology, dermatology, ENT, paediatrics, general practice)
- 2 different therapies in one unit!
- PC connection (for SW upgrades)
- BTL Cart (option)
- Ergonomic multi-frequency ultrasound heads (1 and 3MHz) of 4 & 1 cm²
- Continuous and pulse mode
- Water resistant ultrasound heads
- Portable combined therapy unit (1-channel ultrasound and laser) with graphic & numeric displays
- Portability
- Ultrasound frequency 1 and 3 MHz
- Simultaneous connection of two ultrasound heads
- Therapeutic encyclopaedia
- Option of the holder for laser clusters and probes for easy and comfortable laser application

BTL 5720-Sono

ID:E1010



2-channel Ultrasound, upgradeable

- Touch screen for comfortable operation
- Treat 2 patients at the same time with independent therapies
- Anatomically shaped heads for comfortable ultrasound application
- Water resistant heads for subaqual treatment
- Connection with other BTL products: electrotherapy
- On-line encyclopaedia with pre-set protocols based on years of medical research

- Multifrequency ultrasound system with visual patient contact control
 - User-defined protocols
 - Colour frame option
 - Multilingual unit
 - 2-channel ultrasound unit with touch screen for easy and comfortable operation
- | Item ID |
|---------|
| E1010 |
- 2 independent channels
 - Ergonomic multi-frequency ultrasound heads (1 and 3MHz) of 4 & 1 cm²
 - Simultaneous connection of two ultrasound heads
 - Ultrasound frequency 1 and 3 MHz
 - Continuous and pulse mode
 - Water resistant ultrasound heads
 - Multiple contact indicator (on the ultrasound head, display, sound alarm)
 - Easy connection with BTL electrotherapy unit for combined treatment
 - Large touch screen display
 - Pre-programmed protocols
 - Therapeutic encyclopaedia
 - Built-in patient database
 - PC connection (for SW upgrades)
 - BTL Cart (option)
 - Identification of accessories and accessories maintenance check
 - Unique Modular System™ - option of later unit upgrades

BTL-5825SL Combi

ID:E1011



Item ID


E1011

- 2-channel Electrotherapy with additional currents + 1-channel Ultrasound + 1-channel Laser
- Touch screen for comfortable operation
- Treat 2 patients at the same time with independent therapies
- Choose from over 5000 waveforms and their modifications
- Connection with other BTL products: vacuum unit and/or ultrasound
- Anatomically shaped heads for comfortable ultrasound application
- Water resistant heads for subaqual treatment
- Connection with other BTL products: electrotherapy
- User-defined protocols
- Colour frame option
- Multilingual unit
- Combined therapy unit (2-channel electrotherapy with additional currents, ultrasound, and laser) with touch screen for easy and comfortable operation
- 4 independent channels
- Most important low and medium frequency waveforms include: galvanic (Iontophoresis), Diadynamics, Träbert 2-5, Faradic, Neofaradic, Russian stimulation, stimulation pulses, rectangular pulses, TENS symmetric, asymmetric, alternating, 2-pole interference, 4-pole interference, triangular pulses, exponential pulses with rise, combined pulses, and programmable sequences of diadynamic currents, and other selected currents, isoplanar vector field, dipole vector field, interrupted pulses, Leduc current, H-waves and microcurrents, electrodiagnostics
- Test of quality of electrodes and patient cables
- Ergonomic multi-frequency ultrasound heads (1 and 3MHz) of 4 & 1 cm²
- Simultaneous connection of two ultrasound heads
- Ultrasound frequency 1 and 3 MHz
- Continuous and pulse mode
- Water resistant ultrasound heads
- Multiple contact indicator (on the ultrasound head, display, sound alarm)
- Test and identification of connected probes & clusters
- Wide choice of probes: red probes of 685nm wavelength and 30-50mW output power, infrared probes of 830nm wavelength and 50-400mW output power
- Wide range of laser clusters (red, infrared, combined) up to 1800mW output power
- Choice of optical attachments for ENT, urology, dentistry and gynaecology
- Protocols for different medical fields (rehabilitation, orthopedics, sports medicine, dentistry, gynaecology, dermatology, ENT, paediatrics, general practice)
- 3 different therapies in one unit!!!
- Large touch screen display
- Therapeutic encyclopaedia
- Built-in patient database
- PC connection (for SW upgrades)
- BTL Cart (option)
- Unique Modular System™ - option of later unit upgrades
- Possible connection with BTL Vac (vacuum unit) - option
- Identification of accessories and accessories maintenance check
- Option of the holder for laser clusters and probes for easy and comfortable laser application

7. Ultrasound scanner

Osteopro Ultrasound

ID:H1001



OsteoPro features and advantages

More Accurate

- Using WHI diagnostic standard parameter, OsteoPro provides reliable diagnostic results.
- OsteoPro uses oil medium, it is similar with the water but oil is not affected by temperature changes. It reduces diagnostic errors and improves the precision and accuracy remarkably.
- T-score Precision: Less than 0.1 percent.

More economical

- The strong point of OsteoPro is the balloon with durable material.
- The balloon is permanent, so there is no risk of a balloon blowout.
- No replacement balloon, so it saves the cost of consumption goods.

Item ID

H1010

- OsteoPro has built-in pc, monitor and printer, so operator can diagnose only with main equipment.
- As it is portable, it installs at a small place.
- OsteoPro takes oil medium for ultrasound diagnosis, so it needs no water replacement and calibration regularly.

- The diagnostic time will be 15 seconds and it is much faster than our competitors.

OsteoPro fixes the distance of an ultrasound sensor and minimizes the changes of the contact pressure between the ultrasound sensor and the skins contact area by using a water bladder.

Furthermore, adjustments of the measuring positions in accordance with the size of the foot as well as foot fixation are achieved simultaneously during measurement. Hence, having a footplate that satisfies identical measurement criteria, it has the reproducibility of very high diagnostic results

8. Stethoscope

Accessories for stethoscope

ID:F1001



P06A & P06A1 Dual head for adult(HS-30B & HS-30B1)
P06B & P06B1 Dual head for child(HS-30F & HS-30F1)
P07A & P07A1 Single head for adult(HS-30A & HS-30A1)
P07B & P07B1 Single head for child(HS-30E & HS-30E1)
P10A Color Y-tubings, Available color: black, red, royal blue, navy blue, purple, hunter-green, yellow, grey, etc

Item ID

F1001

Minimum Order: OEM 250 PCS, NEUTRAL 100 PCS
Quality Approvals Details: CE, FDA, ISO9002

Accessories for stethoscope 2

ID:F1002



P22A foam box for Rappaport Stethoscope
P22B Clear PVC Zipper bag for Rappaport Stethoscope
P10B Color tubing for Rappaport Stethoscope, Available color: black, red, royal blue, navy blue, purple, hunter-green, yellow, grey, etc
P10C Special ridged tubing for Rappaport Stethoscope
Minimum Order: OEM 2000 PCS, NEUTRAL 100 PCS
Quality Approvals Details: CE, FDA, ISO9002

Item ID

F1002

HS-30A/A1

ID:F1003



Single head use (Nurse model)
HS-30A For adult, Silver head(P07A), Standard tubing
Available color of PVC Y-tubing: Red, Green, Gold, Blue, Purple, Black, Pink, Grey, White, etc.
HS-30A1 For adult, Attractive colored head(P07A1) with matching color tubing

Item ID

F1003

Available color of head: Red, Green, Gold, Dark Blue, Light Blue, Purple, Black, etc

Minimum Order: OEM 1000 PCS, NEUTRAL 1 PC

Quality Approvals Details: CE, FDA, ISO9002

HS-30B/B1

ID:F1004



Dual head use (Doctor model)
HS-30B For adult, Silver head(P06A) Chrome-plated (anodized), Standard tubing
Available color of PVC Y-tubing: Red, Green, Gold, Blue, Purple, Black, Pink, Grey, White, etc
HS-30B1 For adult, Attractive colored head(P06A1) with matching color tubing

Item ID

F1004

Available color of head: Red, Green, Gold, Dark Blue, Light Blue, Purple, Black, etc

Many designs and color for a wide range of choices

Minimum Order: OEM 500 PCS, NEUTRAL 1 PC

Quality Approvals Details: CE, FDA, ISO9002

HS-30C/C1

ID: F1005



Double-head, double-tube
5 in 1, five way convertible type stethoscopes Provides versatile acoustical for infants and adults for the detection of a wide range of heart and lung sounds.
Available color of the tubing: red, royal blue, navy blue, purple, hunter-green, yellow, grey, etc.

Item ID

F1005

Comes complete with a clear multi-pocket bag for relevant accessories and replacement parts.
HS-30C Silver color herd

HS-30C1 Colored head with matching color tubing,available color: Red, Gold, Royal blue, etc.

Clear PVC bag or Foam box offer attractive appearance

Minimum Order: OEM 500 PCS, NEUTRAL 1 PC

Quality Approvals Details: CE, FDA, ISO9002

HS-30C3

ID:F1006



With clock Clear PVC bag or Foam box offer attractive appearance
Customers private labels are welcome
Available color of the tubing: red, royal blue, navy blue, purple, hunter-green, yellow, grey, etc.
Comes complete with a clear multi-pocket bag for relevant accessories and replacement parts
Silver color herd Uniquely designed, high quality
F1005Minimum Order: OEM 500, NEUTRAL 500

Item ID

F1006

Quality Approvals Details: CE, FDA, ISO9002

HS-30D

ID:F1007



Uniquely designed, high quality
Clear PVC bag or Foam box offer attractive appearance
Available color of head: burgundy, blue, purple, gold, etc.
Matching color yellow or blue tubing and head
Customers private labels are welcome.
Minimum Order: OEM 10000, NEUTRAL 10000

Item ID

F1007

Quality Approvals Details: CE, FDA, ISO9002

HS-30E

ID:F1008



Offer precise acoustic perception
Many designs and color for a wide range of choices
Colors, styles, sizes Available color of head: Red, Green, Gold, Dark Blue, Light Blue, Purple, Black, etc.
Available color of PVC Y-tubing: Red, Green, Gold, Blue, Purple, Black, Pink, Grey, White, etc.
HS-30E For child, Silver head(P07B), Standard tubing
HS-30E1 For child, Attractive colored head(P07B1) with matching color tubing

Item ID

F1008

Minimum Order: OEM 1000, NEUTRAL 500
Quality Approvals Details: CE, FDA, ISO9002

HS-30F/F1

ID:F1009



Offer precise acoustic perception
Value, economy, quality
Offer precise acoustic perception
Many designs and color for a wide range of choices
Colors, styles, sizes
Available color of head: Red, Green, Gold, Dark Blue, Light Blue,

Item ID

F1009

Purple, Black, etc. Available color of PVC Y-tubing: Red, Green, Gold, Blue, Purple, Black, Pink, Grey, White, etc.
HS-30F For child, Silver head(P06B) Chrome-plated (anodized),

Standard tubing

HS-30F1 For child, Attractive colored head(P06B1) with matching color tubing

Minimum Order: OEM 1000, NEUTRAL 500

Quality Approvals Details: CE, FDA, ISO9002

HS-30G/G1

ID: F1010



Uniquely designed, high quality
Clear PVC bag or Foam box offer attractive appearance
For adult, with inner spring binaural tubing assembly
Customers private labels are welcome
Minimum Order: OEM 500, NEUTRAL 500

Item ID

F1010

Quality Approvals Details: CE, FDA, ISO9002

HS-30H

ID:F1011



Stainless steel
Uniquely designed, high quality
Clear PVC bag or Foam box offer attractive appearance
Chest piece or bell comes with non-chill ring
With uniquely designed binaural thick wall tubing assembly
For child, deluxe type
Minimum Order: OEM 500, NEUTRAL 500
Quality Approvals Details: CE, FDA, ISO9002

Item ID

F1011

HS-30J

ID:F1012



Stainless steel
Uniquely designed, high quality
Clear PVC bag or Foam box offer attractive appearance
Chest piece or bell comes with non-chill ring
With uniquely designed binaural thick wall tubing assembly
For adult, deluxe type, with inner spring binaural tubing assembly
Minimum Order: OEM 500, NEUTRAL 500
Quality Approvals Details: CE, FDA, ISO9002

Item ID

F1012

HS-30K

ID:F1013



Stainless steel
Uniquely designed, high quality
Clear PVC bag or Foam box offer attractive appearance
Chest piece or bell comes with non-chill ring With uniquely designed binaural thick wall tubing assembly
For adult, Cardiology type, feature a deep, cone-shaped bell
Minimum Order: OEM 500, NEUTRAL 500
Quality Approvals Details: CE, FDA, ISO9002

Item ID

F1013

HS-30L

ID:F1014



Uniquely designed, high quality
Clear PVC bag or Foam box offer attractive appearance
Chest piece or bell comes with non-chill ring With uniquely designed
binaural thick wall tubing assembly
For adult, deluxe type
Minimum Order: OEM 500, NEUTRAL 500
Quality Approvals Details: CE, FDA, ISO9002

Item ID

F1014

HS-30N

ID: F1015



Uniquely designed, high quality
Clear PVC bag or Foam box offer attractive appearance
Chest piece or bell comes with non-chill ring With uniquely designed
binaural thick wall tubing assembly
Minimum Order: OEM 500, NEUTRAL 500
Quality Approvals Details: CE, FDA, ISO9002

Item ID

F1015

HS-30P

ID:F1016



Stainless steel
Uniquely designed, high quality
Clear PVC bag or Foam box offer attractive appearance
Chest piece or bell comes with non-chill ring With uniquely designed
binaural thick wall tubing assembly
Minimum Order: OEM 500, NEUTRAL 500
Quality Approvals Details: CE, FDA, ISO9002

Item ID

F1016

HS-30Q

ID:F1017



Uniquely designed, high quality
Clear PVC bag or Foam box offer attractive appearance
Chest piece or bell comes with non-chill ring With uniquely designed
binaural thick wall tubing assembly
For adult, deluxe type
Minimum Order: OEM 500, NEUTRAL 500
Quality Approvals Details: CE, FDA, ISO9002

Item ID

F1017

HS-30R

ID:F1018



With double breast piece for neonatal and tubing available in
many attractive colors HS-30R1 with aluminum chest piece
HS-30R2 with Stainless steel chest piece
Minimum Order: OEM 1000, NEUTRAL 1
Quality Approvals Details: CE, FDA, ISO9002

Item ID

F1018

Name Tag

ID:F1019



Suit for all stethocopes
Can be written with doctors name, avoid mix use
Customers private labels are welcome
Minimum Order: OEM 500, NEUTRAL 10
Quality Approvals Details: CE, FDA, ISO9002

Item ID

F1019

9. Sphygmomanometer

HS-201C/H

ID:G1006



Item ID

G1006

Plam type (Economy)
Plastic case with chrome-plated(anodized)
Optional cuffs
Large dial (Outer-diameter: 65mm), Easy to read
HS-201C with 1 tube
HS-201H with 2 tubes
Luer lock connector and latex free bladder, tube, bulb are available .The minimum order is OEM 100 PCS, NEUTRAL 1 PC. Quality Approvals Details: CE, ISO9002

HS-201D/E

ID:G1007



Item ID

G1007

Plam type (Deluxe)
ABS case and Optional cuffs
Large dial (Outer-diameter: 65mm), Easy to read
Black powder-coating zinc alloy handle, Easy to inflation
HS-201D with 1 tube
HS-201E with 2 tube
Luer lock connector and latexfree bladder, tube, bulb are available
The minimum order is OEM 100 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

HS-201F/G

ID:G1008



Item ID

G1008

Plam type
Metal case with fine powder-coated finish to feature an attractive appearance, black color only
Optional cuff Dial outer-diameter: 50mm
HS-201F with 1 tube
HS-201G with 2 tubes
Luer lock connector and latexfree bladder, tube, bulb are available
The minimum order is OEM 2000 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

HS-201J/I

ID:G1009



Item ID

G1009

Plam type (Deluxe)
ABS case and Optional cuffs Large dial (Outer-diameter: 65mm), Easy to read. Stainless steel handle.HS-201J with 1 tube
HS-201I with 2 tubes
Luer lock connector and latexfree bladder, tube, bulb are available
The minimum order is OEM 100 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

HS-201K/L

ID:G1010



Plam type (New Patent Product)

Special rubber protective ring offers the ideal protection for the manometer, and gives the product a deluxe appearance together with the ribbed bulb. ABS housing/case, flat textured finish, available in different colors. Large dial with 65mm outer-diameter

Two kinds of handles available: one in stainless steel (refer to the picture of HS-201J), one in Zinc-alloy with black power-coating

Unique push-button valve to offer precise mini-deflation

The handle is adjustable for use by left-handed people with adjustable knob. HS-201K with 1 tube, HS-201L with 2 tubes

Item ID

G1010

The minimum order is OEM 100 PCS, NEUTRAL 1 PC

Quality Approvals Details: CE, ISO9002

HS-201M

ID:G1011



Plam type (New Patent Product)

Zero Adjustable: calibrate simply by turning the outer-ring of the manometer

Uniquely designed raised outer-ring protects the manometer from shocks and the glass from scratches

ABS housing/case, flat textured finish, available in different colors 55mm outer-diameter dial with specially designed color printing is both eye-catching and easy-to-read Stainless steel handle.

1-tube and 2-tube models are both available Luer Lock connector and latexfree bladder, tube, bulb are available. The minimum order is OEM 100 PCS, NEUTRAL 1 PC

Quality Approvals Details: CE, ISO9002

Item ID

G1011

HS-201N

ID:G1012



ABS case and black powder-coating zinc alloy handle

Zero position adjustable .Push button valve with mini-deflation function 55mm outer-diameter dial with specially designed color printing is both eye-catching and easy-to-read.

Anti-shock function, Cone tube model, C deluxe ribbed bulb

Luer Lock connector and latexfree bladder, tube, bulb are available

The minimum order is OEM 100 PCS, NEUTRAL 1 PC

Quality Approvals Details: CE, ISO9002

Item ID

G1012

HS-201Q

ID:G1013



Chrome-plated zinc-alloy manometer case
Large dial with 65mm outer-diameter
Laser-imprinting logo are available and offers
Cuff comes with unique cylinder-shaped plastic
Special left-and-right-hand adjustable handle
Black powder-coating zinc-alloy handle comes
Unique push button air release valve offers
The minimum order is OEM 100 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1013

HS-20A

ID:G1014



Various combinations of cuffs and manometers/gauges designed to meet customers needs. Optional cuff and gauge color Range: 25.4 to 40.6 cm
Comes with Calibrated Nylon cuff (screen-printing on two-sides)
The minimum order is 100 PCS
Quality Approvals Details: CE, ISO9002

Item ID

G1014

HS-20B

ID:G1015



Various combinations of cuffs and manometers/gauges designed to meet customers needs. Optional cuff and gauge color Comes with Metal Chip or hook cuff . The minimum order is OEM 100 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1015

HS-20C

ID:G1016



Various combinations of cuffs and manometers/gauges designed to meet customers needs.
Optional cuff and gauge color
Comes with Various Cuffs for:
1?A25X4.5cm Neonatal or infant
2?A38X7cm Child 3?A45X10.5cm Boy

Item ID

G1016

The minimum order is OEM 100 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

HS-20D

ID:G1017



Various combinations of cuffs and manometers/gauges designed to meet customers needs. Optional cuff and gauge color Comes with Self-service D-ring cotton/nylon cuff
The minimum order is OEM 100 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1017

HS-20F

ID:G1018




Various combinations of cuffs and manometers/gauges designed to meet customers needs. Powder-coating finish gauge
Convenient for removing and washing
Cuff with leather attachment, different colors are available
The minimum order is OEM 100 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1018

HS-20G

ID:G1019



Pressure Infusion Cuffs

Pressure cuff for infusion with high quality gauge that permits the monitoring of blood pressure during infusion, also incorporates safety-valve. Faster supply of medicines or nutrients .Easy to clean cuff. Cover with loop for fastening the manometer
With manometer and manual inflation bulb

For solutions in plastic bags and blood bags of 500ml or 1000ml
The minimum order is OEM 100 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1019

HS-50A

ID:G1020



Economic type

Various combinations of cuffs and manometers/gauges designed to meet customers needs. Comes with single head stethoscope
Comes with Cotton or Nylon Adult cuff with D-ring
The minimum order is OEM 100 PCS, NEUTRAL 1 PC

Quality Approvals Details: CE, ISO9002

Item ID

G1020

HS-50A+706

ID:G1021



GIFT SET promotion product
Most useful combination: Sphygmomanometer, Stethoscope and Blood Pressure Depressor helps you to take care of your blood pressure in any time. Good quality
PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1021

HS-50B

ID:G1022



Various combinations of cuffs and manometers/gauges designed to meet customers needs. Comes with Dual Head Stethoscope
Comes with Cotton or Nylon Adult cuff with D-ring
The minimum order is OEM 1000 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1022

HS-50C

ID:G1023



Various combinations of cuff and manometer/gauge designed to meet customers needs. Stethoscopes chest piece attached to the cuff
Comes with Single Head Stethoscope
Comes with Cotton or Nylon Adult cuff with D-ring
The minimum order is OEM 1000 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1023

HS-50D

ID:G1024



Attractive design and professional combination
Comes with high quality sprague rapport type stethoscope
Comes with color-matched cuff and deluxe carrying zipper bag
Manometer housing, stethoscope tubing, cuffs and carrying zipper case in uniform color. Available in different color sets
The minimum order is OEM 1000 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1024

HS-60A

ID:G1025



Desk and wall type combined in one (Economic type)
ABS case Square face, size: 15cm, easy to read
Long coil tubing. Aneroid gauge can be adjusted back and forth
The minimum order is OEM 100 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1025

HS-60B

ID: G1026



Desk type
ABS case, Long coil tubing
Dial outer-diameter: 20cm, easy to read
Aneroid gauge can be adjusted to the left or the right
Click-open cuff-storage compartment for easy operation
High precise mechanism ensures reliable performance
The minimum order is OEM 100 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1026

HS-60C

ID: G1027



ABS case, Long coil tubing
Dial outer-diameter: 20cm, Easy to read
Unique wall type design with four-direction adjustable aneroid
sphygmomanometer. Light-weight metal basket for easy storage of
inflation system. Comes with screw, easy to put in the wall
The minimum order is OEM 100 PCS, NEUTRAL 1 PC

Quality Approvals Details: CE, ISO9002

Item ID

G1027

HS-60D

ID:G1028



ABS case, Long coil tubing
Face diameter: 20cm, easy to read
sphygmomanometer. Light-weight plastic basket for easy storage of
inflation system. Comes with screw, easy to put in the wall
The minimum order is OEM 100 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1028

HS-70A/B

ID:G1029



Standing Type

Large, easy-to-read dial features bold white printing on contrasting black face. Long coil tubing. HS-70A with storage compartment, HS-70B with light-weight metal basket. Height adjusting from 85cm to 125cm. The minimum order is OEM 50 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1029

HS-70C

ID:G1030



Standing Type (Deluxe)

Attractive round dial, left-right and back-forth adjustable aneroid gauge . Light-weight metal basket, Height adjusting from 85cm to 125cm .Plastic caster and metal caster available, Uniquely designed to be functioned as both standing and wall type. Long coil tubing Wheels can be locked .The minimum order is OEM 50 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1030

HS-GF-301

ID:G1031



Ideally combines one palm sphygmomanometer with three most useful cuffs: child, adult and obese sizes. Different types of palm sphygmomanometer and cuffs are available for a wide range of choices . Supplied in an attractive and easy-to-carry box.
The minimum order is OEM 1000 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1031

HS-GF-303

ID:G1032



Uniquely combines sphygmomanometer, stethoscope and blood pressure depressor. The three most useful diagnostic instruments for taking care of your blood pressure.

Different combinations are available for a wide range of choices
Supplied in an attractive and easy-to-carry box

The minimum order is OEM 1000 PCS, NEUTRAL 1 PC

Quality Approvals Details: CE, ISO9002

Item ID

G1032

TXJ-10A/B

ID:G1033



Mercurial sphygmomanometer (Desk model)
Optional color of the case: Grey and Blue 3.5mm(Inside diameter) for the tube of TXJ-10A(Deluxe) and 3.0mm(Inside diameter) for TXJ-10B(Standard).The minimum order is OEM 500 PCS, NEUTRAL 1 PC.
Quality Approvals Details: CE, ISO9002

Item ID

G1033

TXJ-20

ID:G1034



Mercurial sphygmomanometer (Wall model)
Packed in foam box for safe delivery
With 3.5mm (inside diameter) clear tube
The minimum order is OEM 100 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1034

TXJ-30A/B

ID:G1035



Mercurial sphygmomanometer (Standing model)
Adjustable 5-leg caster stand with range of 110cm to 150cm
An integrated inflation system storage compartment
Wheels can be locked TXJ-30A with metal 5-leg caster stand
TXJ-30B with plastic 5-leg caster stand
The minimum order is OEM 100 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1035

Zipper carrying bag

ID:G1036



P11A Vinyl zipper case
P11B Deluxe Nylon/Cotton carrying case allowed user to carry additional item and available in many color to match with the cuff color. The minimum order is OEM 100 PCS, NEUTRAL 1 PC
Quality Approvals Details: CE, ISO9002

Item ID

G1036

10. Treatment tables

Firm n Fold PBC deluxe table

ID: I1001



The top of the line professional massage table from Firm n Fold. It come with removable wings at each side, a face pro at the end of the table and an armrest beneath it. The head section can be raised from 0 to 45 degrees. The table can be adjusted in height from 66 - 84 cm.

Height: 66 - 84 cm

Length: 185 cm (205 cm with face pro)

Width: 63 cm (78 cm with wings)

Weight: 17 Kg

Item ID

I1001

Firm n Fold Standard

ID: I1002



Firm N Fold standard massage couch, transportable and adjustable height, breathing hole.

Height: 66 - 84 cm

Length: 185 cm (205 cm with face pro)

Width: 66 cm

Weight: 15 Kg

Item ID

I1002

Firm n Fold Standard Wide

ID: I1003



Firm N Fold standard wide massage couch, transportable and adjustable height, breathing hole. This is by many considered best buy, and has been endorsed best couch.

Height: 66 - 84 cm

Length: 185 cm (205 cm with face pro)

Width: 73 cm

Weight: 15 Kg

Item ID

I1003

Firm n Fold Featherlite

ID:I1004



Firm N Fold featherlite massage couch, transportable and adjustable height, breathing hole. A couch designed specifically for traveling - weighs only 10 Kg.

Height: 66 - 84 cm

Length: 185 cm (205 cm with face pro)

Width: 66 cm

Weight: 10 Kg

Item ID

I1004

Firm n Fold ProWing

ID: I1005



Firm N Fold ProWing massage couch, transportable and adjustable height, breathing hole.

Height: 66 - 84 cm

Length: 185 cm (205 cm with face pro)

Width: 63 (78 cm with wings)

Weight: 16 Kg

Item ID

I1005

Firm n Fold Standard B

ID:I1006



Firm N Fold Standard B massage couch, transportable and adjustable height, breathing hole. The back is can be raised 45 degrees.

Height: 66 - 84 cm

Length: 185 cm (205 cm with face pro)

Width: 66 cm

Weight: 17 Kg

Item ID

I1006

Firm n Fold Standard B Wide

ID:I1007



Firm N Fold Standard B Wide massage couch, transportable and adjustable height, breathing hole. The back is can be raised 45 degrees.

Height: 66 - 84 cm

Length: 185 cm (205 cm with face pro)

Width: 73 cm

Weight: 17 Kg

Item ID

I1007

Firm n Fold Massage Chair

ID: I1008



Firm N Fold Massage Chair. A solid and stabile massage chair - especially good for touch pro massage.

Height: 119 - 126 cm

Length: 80 cm

Width: 52 cm

Weight: 10 Kg

Item ID

I1008

Firm n Fold Massage Chair Pro

ID:I1009



Firm N Fold Massage Chair. A solid and stabile massage chair - especially good for touch pro massage.

Height: 119 - 126 cm

Length: 80 cm

Width: 52 cm

Weight: 12 Kg

Item ID

I1009

Firm n Fold Gas Lifting Chair

ID:I1010



Firm N Fold gas lifting chair. Basic round chair.

Item ID

I1010

Firm n Fold Gas Lifting Chair w/back

ID:I1011



Firm N Fold gas lifting chair. Basic round chair with back.

Item ID

I1011

Firm n Fold Gas Lifting Chair /peanut

ID:I1012



Firm N Fold gas lifting chair. Peanutshaped seat.

Item ID

I1012

Firm n Fold accessories

ID: I1013

Carrying bags; To protect the tables while transporting them around - highly recommended



Face pro : To put at the end of the table in order to increase the length



Arm rest : To be placed below the face pro for resting the arms



Face plug : Seals the breathing whole in the table



Knee/ankle pad 50 cm : Support for knees / ankles



Protective cover : To protect the table



Item ID

I1013

BTL 1100 - manuel, 2 sections

ID:I1014



A simple treatment table in 2 sections. Often used for hospital or private use. Classic design.

Fixed height: 70 cm

Fixed width: 70 cm

Length: 195 cm

Headsection: from +45 degrees /-60 degrees

Weight: 25-35 Kg

Breaking strength: 170 Kg

Item ID

I1014

BTL 1100 - manuel, 3 sections

ID:I1015



A simple treatment table in 3 sections. Often used for hospital or private use. Classic design.

Fixed height: 70 cm

Fixed width: 70 cm

Length: 195 cm

Can be raised in the middle: 0 - 22 cm

Headsection: from +45 degrees /-60 degrees

Item ID

I1015

Weight: 25-35 Kg

Breakingstrength: 170 Kg

BTL 1200 - manuel, 2 sections

ID:I1016



A simple treatment table in 2 sections. Often used for hospital or private use. New design.

Fixed height: 70 cm

Fixed width: 70 cm

Length: 195 cm

Headsection: from +45 degrees /-60 degrees

Weight: 25-35 Kg

Breakingstrength: 170 Kg

Breathingwhole + plug

Item ID

I1016

BTL 1200 - manuel, 3 sections

ID:I1017



A simple treatment table in 2 sections. Often used for hospital or private use. New design.

Fixed height: 70 cm

Fixed width: 70 cm

Length: 195 cm

Can be raised in the middle: 0 - 22 cm

Headsection: from +45 degrees /-60 degrees

Weight: 25-35 Kg

Breakingstrength: 170 Kg

Breathingwhole + plug

Item ID

I1017

BTL 1300 - 2 sections, 1 motor

ID:I1018



An electric treatment table in 2 sections with built-in elevation.

Adjustable height: 45-92 cm

Fixed width: 70 cm

Length: 192 cm

Weight: 125 Kg

Headsection: from +45 degrees /-60 degrees

Additional equipment can be bought separately:

Paper holder

Special width

Hand -/ foot control

Wheels

Item ID

I1018

BTL 1300 - 3 sections, 1 motor

ID:I1019



An electric treatment table in 3 sections with built-in elevation.

Adjustable height: 45-92 cm

Fixed width: 70 cm

Length: 192 cm

Weight: 125 Kg

Headsection: from +45 degrees /-60 degrees

Can be raised in the middle: 0 - 22 cm

Additional equipment can be bought separately:

Paper holder

Special width

Hand -/ foot control

Wheels

Item ID

I1019

BTL 1300 - 5 sections, 1 motor

ID:I1020



An electric treatment table in 5 sections with built-in elevation.

Adjustable height: 45-92 cm

Fixed width: 70 cm

Length: 192 cm

Weight: 125 Kg

Headsection: from +45 degrees /-60 degrees

Can be raised in the middle: 0 - 15 cm

Armsection: adjustable

Additional equipment can be bought separately:

Paper holder

Special width

Hand -/ foot control

Wheels

Item ID

I1020

BTL 1300 - 5 sections, 2 motor

ID: I1021



Item ID

I1021

An electric treatment table in 5 sections with built-in elevation.

Adjustable height: 45-92 cm

Fixed width: 70 cm

Length: 192 cm

Weight: 125 Kg

Headsection: from +45 degrees /-60 degrees

Can be raised in the middle: 0 - 22 cm

Armsection: adjustable

Additional equipment can be bought separately:

Paper holder

Special width

Hand -/ foot control

Wheels

BTL 1300 - Bobath model, 1 section, 1 motor

ID: I1022



Item ID

I1022

A special 1-section plain treatment table. Its simplistic design allows for great maneuver capabilities for both patient and practitioner.

Adjustable height: 45-95 cm

Fixed width: 90 cm

Length: 190 cm

Weight: 125 Kg


Additional equipment can be bought separately:

Paper holder

Special width

BTL 1300 - Bobath model, 2 sections, 1 motor

ID: I1023



Item ID

I1023

A special 2-section plain treatment table. Its simplistic design allows for great maneuver capabilities for both patient and practitioner.

Adjustable height: 45-95 cm

Fixed width: 90 cm

Length: 190 cm

Weight: 125 Kg

Adjustable headsection: +40 degrees

Additional equipment can be bought separately:

Paper holder

Special width

BTL 1300 - Trac model

ID:I1024



Item ID

I1024

A special 3-section treatment table The traction section makes minimizes the friction optimizes muscle relaxation with the patient.

Adjustable height: 45-95 cm

Fixed width: 70 cm

Length: 207 cm

Weight: 125 Kg

Headsection: from +45 degrees /-30 degrees

Additional equipment can be bought separately:

Paper holder

Special width

BTL 1500 - Gynecology chair

ID:I1025



Item ID

I1025

A top professional gynecology chair - available with 1, 2 or 3 motors.

1 Motor: Electric adjustable height: 86 - 106 cm

Fixed resting section Fixed seat

2 Motors: Electric adjustable height: 86 - 106 cm

Electric adjustable resting section Fixed seat

3 Motors: Electric adjustable height: 86 - 106 cm

Electric adjustable resting section Electric adjustable seat

3 Motors + programming Electric adjustable height:

86 - 106 cm Electric adjustable resting section

Electric adjustable seat Pre-programmed for the

most used positions

General specifications:

Length: 90 cm + 40 cm

Width: 60 cm

Adjustable height: 86 - 106 cm

Adjustable resting section: +5 degrees /+50 degrees

Adjustable seat: 0 degrees /-50 degrees

Weight: 68 Kg

Breaking strength: 180 Kg

Power supply: 230V / 50 Hz

Additional equipment can be bought separately:

Special width

Wheels Hand -/ foot control

Head / leg / hand support

Colposcope holder

BTL accessories

ID:I1026

Traction Unit :To be used on the BTL Trac model



Thoracic belt :Thoracic belts (traction unit)



Pelvic belt :Pelvic belt



Training pillows :Training pillows



Extra dimensions : For custom lenght/width

Paper holder : Paper holder



Item ID

I1026